INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1898.

(Marked T.); and to Proceedings of the Session 1897—1898, Nos. 183 to 197, Nov., 1897—June, 1898 (marked P.).

A.

Annable, *Henry.* See *George* **Young.**

Armitage, *F. P.*, the atomic weight of boron, P., **1898**, 22; discussion, P., 23.

B.

Baker, *H. Brereton*, the drying of ammonia and hydrogen chloride, T., 422; P., **1898**, 99; discussion, P., 100.

Bentley, *William Henry*, and *William Henry* **Perkin,** *jun.*, experiments on the synthesis of camphoric acid. Part I., T., 45; P., **1897**, 218.

Bentley, *William Henry.* See also *R.* **Herz.**

Bevan, *Edward John.* See *Charles Frederick* **Cross.**

Bone, *William Arthur*, an improved form of gas analysis apparatus, P., **1898**, 154; discussion, P., 155.

Bone, *William Arthur*, and *John* **Wilson,** preliminary note on the action of light on acetylene, P., **1898**, 155.

Bossi, *Arnold.* See *Wyndham Rowland* **Dunstan.**

Brame, *J. S. Strafford.* See *James Wyllie* **Rodger.**

Brauner, *Bohuslav*, contributions to the chemistry of thorium; comparative researches on the oxalates of the rare earth, T., 951; P., **1898**, 67.

—— on the atomic weight of thorium, P., **1898**, 68.

—— on the compound nature of cerium, P., **1898**, 69.

—— on praseodidymium and neodidymium, P., **1898**, 70; discussion, P., 72.

Brittain, *Charles Edward.* See *Julius Berend* **Cohen.**

Browning, *K. C.* See *Siegfried* **Ruhemann.**

Bruce, *James.* See *William Palmer* **Wynne.**

C.

Calvert, *Harry Thornton.* See *Julius Berend* **Cohen.**

Caven, *Robert Martin.* See also *Frank* **Clowes.**

Clark, *Ernest.* See *George* **Young.**

Clowes, *Frank*, and *Robert Martin* **Caven,** the action of magnesium on cupric sulphate solution, P., **1897**, 221; discussion, P., 222.

Cockburn, *George Bertram.* See *John Addyman* **Gardner.**

Cohen, *Julius Berend*, and *Charles Edward* **Brittain,** action of alkalis on amides, T., 157; P., **1898**, 10.

Cohen, *Julius Berend*, and *Harry Thornton* **Calvert,** formation of monomethylaniline from dimethylaniline, T., 163; P., **1898**, 10.

—— —— note on the aluminium-mercury couple, P., **1898**, 10.

Collie, *John Norman*, and *Colin C.* **Frye,** note on the action of bromine on benzene, T., 241; P., **1898**, 52; discussion, P., 53.

Collie, *John Norman*, and *W.* **Lean,** production of some chloropyridinecarboxylic acids, T., 588; P., **1898**, 148.

Collie, *John Norman*, and *Thomas* **Tickle,** production of some nitro- and amido-oxylutidines. Part I., T., 229; P., **1898**, 50.

Collie, *John Norman.* See also Miss *L.* **Hall.**

Collinson, *R. W.*, and *William Henry* **Perkin,** *jun.*, lauronolic acid, P., **1898**, 111.

Crofts, *James Murray*, molecular weights of permanganates, perchlorates, and periodates in solution, T., 593; P., **1898**, 124.

Crofts, *James Murray*. See also *Robert Selby* **Morrell**.

Crompton, *Holland*, the molecular association of liquids and its influence on the osmotic pressure, P., **1897**, 225.

Cross, *Charles Frederick*, *Edward John* **Bevan**, and *Claude* **Smith**, the carbohydrates of barley straw, T., 459; P., **1898**, 96; discussion, P., 96.

—— —— —— reactions of the carbohydrates with hydrogen peroxide, T., 463; P., **1898**, 115; discussion, P., 118.

Crossley, *Arthur William*, and *William Henry* **Perkin**, *jun.*, decomposition of camphoric acid by fusion with potash or soda, T., 1; P., **1897**, 217.

Cundall, *James Tudor*, some lecture experiments, P., **1898**, 40; discussion, P., 41.

Cunnington, *Alfred Valentine*. See *Siegfried* **Ruhemann**.

D.

Dewar, *James*, note on the liquefaction of hydrogen and helium, T., 528; P., **1898**, 129 and 146; discussion, P., 131.

—— Presidential address, T., 1039; P., **1898**, 89.

—— the liquefaction of air and the detection of impurities; P., **1897**, 186; discussion, P., 192.

—— the absorption of hydrogen by palladium at high temperatures and pressures; P., **1897**, 192; discussion, P., 198.

Dewar, *James*. See also *Henri* **Moissan**.

Dickson, *G.*, and *Thomas Hill* **Easterfield**, note on the oxidation of charcoal by nitric acid; P., **1898**, 163.

Divers, *Edward*, the interaction of magnesium and solution of copper sulphate; P., **1898**, 57.

Dixon, *Frank*. See *John Theodore* **Hewitt**.

Dobbie, *James Johnstone*, and *Fred.* **Marsden**, preparation and properties of orthochlorobromobenzene; T., 254; P., **1898**, 41.

Dobbie, *James Johnstone*. See also *Walter Noel* **Hartley**.

Dootson, *Frederick William*. See *William James* **Sell**.

Dunstan, *Wyndham Rowland*, and *Arnold L.* **Bossi**, the preparation and properties of formaldoxime, T., 353; P., **1894**, 55.

Dunstan, *Wyndham Rowland*, and *Thomas Anderson* **Henry**, a chemical investigation of the constituents of Indian and American podophyllum, *Podophyllum emodi*, and *P. peltatum*, T., 209; P., **1898**, 42; discussion, P., 43.

—— —— the volatile constituents of wood of *Goupia tomentosa*, T., 226; P., **1898**, 44.

—— —— on oxycannabin from Indian hemp, P., **1898**, 44; discussion, P., 45.

E.

Easterfield, *Thomas Hill*. See **G. Dickson**, *Thomas Barlow* **Wood**.

Edmed, *Frank George*, constitution of oleic acid and its derivatives, T., 627; P., **1898**, 133; discussion, P., 134.

Elliott, *Walter J.*, action of chloroform and alkaline hydroxides on the nitrobenzoic acids, T., 145; P., **1898**, 10.

Evans, *William T.* See *William Ashwell* **Shenstone**.

F.

Feilmann, *Martin Ernest*. See *John Joseph* **Sudborough**.

Fenton, *Henry J. Horstman*, properties and relationships of dihydroxytartaric acid, T., 71; P., **1897**, 224.

—— volumetric estimation of sodium, T., 167; P., **1898**, 21; discussion, P., 22.

—— properties and relationships of dihydroxytartaric acid, Part II., salts of the acid, T., 427; P., **1898**, 120.

—— note on the oxidation of certain acids in presence of iron, P., **1898**, 119; discussion, P., 120.

Fenton, *Henry J. Horstman*, and *Miss Mildred* **Gostling**, action of hydrogen bromide in presence of ether on carbohydrates and certain organic acids, T., 554; P., **1898**, 147; discussion, P., 148.

Forster, *Martin Onslow*, isomeric bornylamines, T., 386; P., **1898**, 97.

—— mercury acetamide, T., 783; P., **1898**, 169.

Fortey, *Emily C.*, hexamethylene from American and Galician petroleum, T., 932; P., **1898**, 103.

Francis, *Francis E.*, and *Sydney* **Young**, separation of normal and iso-hexane from American petroleum, T., 920; P., **1898**, 176; discussion, P., 177.

Francis, *Francis E.*, and *Sydney* **Young**, action of fuming nitric acid on the paraffins and other hydrocarbons, T., 928; P., **1898**, 177; discussion, P., 177.

Frankland, *Percy Faraday*, and *John* **McCrae**, position isomerism and optical activity: the comparative rotatory powers of diethylic monobenzoyltartrate and monotoluoyltartrate, T., 307; P., **1898**, 74.

Frankland, *Percy Faraday*, and *Thomas Stewart* **Patterson**, effect of the mono-, di-, and tri-chloracetyl groups on the rotatory power of methylic and ethylic glycerates and tartrates, T., 181; P., **1898**, 28.

Frankland, *Percy Faraday*, and *Andrew* **Turnbull**, rotation of ethylic and methylic di-monochloracetyltartrates, T., 203; P., **1898**, 29.

Frye, *Colin C.* See *John Norman* **Collie**.

G.

Gardner, *John Addyman* and *George Bertram* **Cockburn**, researches on the terpenes, II., on the oxidation of fenchone, T., 275; P., **1898**, 8.

—— —— researches on the terpenes, III., halogen derivatives of fenchone and their reactions, T., 704; P., **1898**, 150.

—— —— researches on the terpenes, IV., on the oxidation of fenchone, T., 708; P., **1898**, 151.

Gostling, (*Miss*) *Mildred*. See *Henry J. Horstman* **Fenton**.

H.

Hall, *Miss L.*, and *John Norman* **Collie**, production of some nitro- and amido-oxylutidines. Part II., T., 235; P., **1898**, 51; discussion, P., 51.

Hartley, *Walter Noel*, and *James Johnstone* **Dobbie**, the ultraviolet absorption spectra of some closed chain compounds, T., 598; P., **1898**, 41.

—— —— notes on the absorption bands in the spectrum of benzene, T., 695; P., **1898**, 42.

Hartridge, *Alfred*. See *James Ernest* **Marsh**.

Haworth, *Edward*, and *William Henry* **Perkin**, *jun.*, *cis-* and *trans*-tetramethylene-1:3-dicarboxylic acids, and the condensation of formaldehyde with ethylic malonate, T., 330; P., **1898**, 45.

Henry, *Thomas Anderson*. See *Wyndham Rowland* **Dunstan**.

Herz, *R.*, and *William Henry* **Bentley**, the oxidation of paranitrotoluene-sulphonic acid to dinitrostilbenedisulphonic acid and to paranitrobenzaldehydeorthosulphonic acid, P., **1898**, 125.

Hewitt, *John Theodore*, and *Frank* **Dixon**, the condensation of chloral hydrate and orcinol, T., 397; P., **1898**, 102.

Hewitt, *John Theodore*, and *Frank G.* **Pope**, derivatives of bromotolylhydrazine, $C_6H_3Br(CH_3)(N_2H_3)[1:3:6]$, T., 174; P., **1898**, 7.

Heycock, *Charles Thomas*, and *Francis Henry* **Neville**, Röntgen ray photography applied to alloys, T., 714; P., **1897**, 105; discussion, P., 106.

Hiepe, *William Louis*, obituary notice of, T., 1047.

Hill, *Arthur Croft*, reversible zymohydrolysis, T., 634; P., **1898**, 156; discussion, P., 158.

J.

Jackson, *D. Hamilton*, and *Sydney* **Young**, specific gravities and boiling points of mixtures of benzene and normal hexane, T., 922; P., **1898**, 176.

Japp, *Francis Robert*, Kekulé Memorial Lecture, T., 97; P., **1897**, 235; discussion, P., 237.

Johnson, *Harold*, hydrolysis of starch by acids, T., 490; P., **1898**, 106.

Jones, *A. Wentworth*, simple experimental illustration of the law of multiples, P., **1898**, 110.

Judson, *Winifred*, and *James Wallace* **Walker**, reduction of bromic acid and the law of mass action, T., 410; P., **1898**, 64.

K.

Kipping, *Frederic Stanley*, and *William Jackson* **Pope**, enantiomorphism, T., 606; P., **1898**, 160.

—— —— the separation of optical isomerides, P., **1898**, 113.

Kipping, *Frederic Stanley*. See also *Arthur* **Lapworth**.

L.

Lander, *George Druce*. See *Thomas* **Purdie**.

Lapworth, *Arthur*, sulphonation of benzophenone and of dipyenylmethane, T., 402; P., **1898**, 112.

Lapworth, *Arthur*, a possible basis of generalisation of intramolecular changes in organic compounds, T., 445; P., **1897**, 246; discussion, P., 247.

Lapworth, *Arthur*, and *Frederic Stanley* **Kipping**, hydroxydibromocamphorsulphonic acid: a correction, P., **1898**, 159.

Lapworth, *Arthur*, and *Charles* **Mills**, note on nitration and substitution in nitro-compounds, P., **1898**, 159.

Lean, *Bevan*, and *W. H.* **Whatmough**, new method of preparing pure iodine, T., 148; P., **1898**, 5; discussion, P., 6.

Lean, *W.* See *John Norman* **Collie**.

Lees, *Frederic H.*, and *William Henry* **Perkin**, *jun.*, the action of aluminium chloride on camphoric anhydride, P., **1898**, 111.

Lloyd, *Lorenzo L.* See *John Joseph* **Sudborough**.

Lowry, *Thomas Martin*, studies on the terpenes and allied compounds: stereoisomeric derivatives of camphor, T., 569; P., **1898**, 135.

—— studies on the terpenes and allied compounds. Nitrocamphor and its derivatives, I., stereoisomeric chloro- and bromo-camphors; II., pseudonitrocamphor; III., camphoryloxime (camphonitrophenol), T., 986; P., **1898**, 151, 178, 179.

Lumsden, *John S.* See *James* **Walker**.

M.

McCrae, *John*, some iodoso-compounds, T., 691; P., **1898**, 166.

McCrae, *John*. See also *Percy Faraday* **Frankland**.

Madan, *Henry George*, note on some of the properties of methylene di-iodide, P., **1898**, 101; discussion P., 102.

Marsden, *Fred.* See *James Johnstone* **Dobbie**.

Marsh, *James Ernest*, and *Alfred* **Hartridge**, researches on the terpenes, VIII., on carvenol, its reactions and products, T., 852; P., **1898**, 170.

Matthews, *Francis Edward*, benzene hexabromide, T., 243; P., **1898**, 52; discussion, P., 52.

—— some derivatives of benzophenone, T., 426; P., **1898**, 97.

—— the representation of the isomeric benzene hexachlorides by Collie's space formulæ, P., **1897**, 232; discussion, P., 232.

Meldola, *Raphael*, and *Frederick Henry* **Streatfeild**, contributions to the chemistry of phenol derivatives, T., 681; P., **1898**, 165.

Mills, *Charles*. See *Arthur* **Lapworth**.

Moissan, *Henri*, and *James* **Dewar**, on the properties of liquid fluorine, P., **1897**, 175; discussion, P., 184.

Moody, *Gerald Tattersall*, preparation of a standard acid solution by direct absorption of hydrogen chloride, T., 658; P., **1898**, 150.

Morgan, *Gilbert Thomas*, action of formaldehyde on amines of the naphthalene series, Part I., T., 536; P., **1898**, 132; discussion, P., 133.

Morrell, *Robert Selby*, and *James Murray* **Crofts**, action of ferric chloride on ethereal salts of ketone acids, T., 345; P., **1898**, 65.

—— —— note on the enolic and ketonic forms of ethylic acetoacetate, P., **1898**, 121.

N.

Neville, *Francis Henry*. See *Charles Thomas* **Heycock**.

P.

Panting, *Laurence C.* See *John* **Wade**.

Patterson, *Thomas Stewart*. See *Percy Faraday* **Frankland**.

Peachey, *Stanley John*. See *William Jackson* **Pope**.

Perkin, *Arthur George*, constituents of the Indian dyestuff waras, *Flemingia congesta*, T., 659; P., **1898**, 162.

—— azobenzene derivatives of some natural yellow colouring matters: apigenin, chrysin, morin, euxanthone and gentisin, T., 665; P., **1898**, 161.

—— the yellow colouring matters contained in various tannin matters, Part VI., *Rhus Cotinus*, and *R. Rhodanthema*; Part VI., T., 1016; P. **1898**, 183.

—— colouring matters of the New Zealand dyewood "puriri," *Vitex littoralis*, Part I., T., 1019; P., **1898**, 183.

—— derivatives of hesperitin, T., 1031; P., **1898**, 185.

—— the yellow colouring matters of the leaves of *Arctostaphylos uva ursi*, P., **1898**, 104.

Perkin, *Arthur George*, and *Julius Aldred* **Pilgrim**, the colouring matters of the Indian dyestuff asbarg, *Delphinium zalil*, T., 267; P., **1898**, 55.

Perkin, *Arthur George*, and *Percival John* **Wood**, yellow colouring principle contained in various tannin matters. Part V., *Pistacia lentiscus*, *P. terebinthus*, *Tamaris africana*, *T. gallica*, *Ailanthus glandulosa*, *Ficus carica*, T., 374; P., **1898**, 104.

Perkin, *Arthur George*, and *Percival John* **Wood**, some metallic salts of natural colouring matters, P., **1898**, 56.

Perkin, *William Henry, jun.*, sulphocamphylic acid and isolauronolic acid, with remarks on the constitution of camphor and some of its derivatives, T., 796; P., **1895**, 21; **1897**, 200, and **1898**, 169.

Perkin, *William Henry, jun.*, and *Charles H. G.* **Sprankling**, on the action of bromacetal on the sodium derivative of ethylic malonate, P., **1898**, 112.

Perkin, *William Henry, jun.*, and *Jocelyn Field* **Thorpe**, synthesis of *cis*- and *trans*-caronic acid, P., **1898**, 107.

Perkin, *William Henry, jun.* See also *William Henry* **Bentley**, *R. W.* **Collinson**, *Arthur William* **Crossley**, *Edward* **Haworth**, *Frederic H.* **Lees**.

Perman, *Edgar Philip*, rate of escape of ammonia from aqueous solution, T., 511; P., **1898**, 24; discussion, P., 25.

Pilgrim, *Julius Aldred*. See *Arthur George* **Perkin**.

Pope, *Frank G.* See *John Theodore* **Hewitt**.

Pope, *William Jackson*, a composite sodium chlorate crystal in which the twin law is not followed, T., 949; P., **1898**, 178.

Pope, *William Jackson*, and *Stanley John* **Peachey**, the resolution of tetrahydropapaverine into its optically active components. Constitution of papaverine, T., 893; P., **1898**, 123.

—— —— the non-resolution of racemic tetrahydropapaverine by tartaric acid, T., 902; P., **1898**, 172.

Pope, *William Jackson*. See also *Frederic Stanley* **Kipping**.

Porter, *T. Cunningham*, note on the volatility of sulphur, P., **1898**, 65; discussion, P., 65.

Purdie, *Thomas*, and *George Druce* **Lander**, the action of alkyl iodides on silver malate and on silver lactate, T., 287; P., **1898**, 75.

—— —— optically active alkyloxypropionic acids, T., 862; P., **1898**, 170.

R.

Reynolds, *William Colebrook*, chemical properties of concentrated solutions of certain salts. Part I., Double potassium carbonates, T., 262; P., **1898**, 53; discussion, P., 54.

Reynolds, *William Colebrook*, chemical properties of concentrated solutions of certain salts. Part II., double potassium sulphates, T., 701; P., **1898**, 167.

Rice, *Charles Emmanuel*, manganic salts, T., 258; P., **1898**, 53; discussion, P., 53.

Rodger, *James Wyllie* (the late), and *J. S. Strafford* **Brame**, the optical rotations of methylic and ethylic tartrates, T., 301; P., **1898**, 76.

Rodger, *James Wyllie*, obituary notice of, T., 1047.

Rosenheim, *Otto*, and *Philip* **Schidrowitz**, compounds of piperidine with phenols, T., 139; P., **1897**, 234.

—— —— optical activity of gallotannic acid, T., 878; P., **1898**, 171.

—— —— the influences modifying the specific rotatory power of gallotannic acid, T., 885; P., **1898**, 172.

Ruhemann, *Siegfried*, formation of $\alpha\alpha'$-dihydropyridine, T., 350; P., **1898**, 73.

Ruhemann, *Siegfried*, and *K. C.* **Browning**, formation of ethylic dihydroxynicotinate from ethylic cyanacetate, T., 280; P., **1898**, 47.

—— —— additive compounds of organic bases and ethereal salts of unsaturated acids, T., 723; P., **1898**, 167.

—— —— formation of ethereal salts of β-ketonic acids, T., 727; P., **1898**, 168.

Ruhemann, *Siegfried*, and *Alfred Valentine* **Cunnington**, the formation of ethereal salts of polycarboxylic acids, T., 1006; P., **1898**, 179.

S.

Schidrowitz, *Philip*. See *Otto* **Rosenheim**.

Schryver, *Samuel Barnett*, synthesis of an isomeride of camphoric acid, T., 68; P., **1897**, 220; discussion, P., 220.

—— researches on camphoric acid, T., 559; P., **1898**, 98.

Sell, *William James*, and *Frederick William* **Dootson**, the chlorine derivatives of pyridine, part I., T., 432; P., **1898**, 110.

—— —— note on the action of chlorine on pyridine, T., 442; P., **1898**, 124.

—— —— the chlorine derivatives of pyridine, part II., interaction of ammonia and pentachloropyridine, T., 777; P., **1898**, 168.

Shenstone, *William Ashwell*, and *William T.* **Evans**, observations on the influence of the silent discharge on atmospheric air, T., 246; P., **1898**, 39; discussion, P., 40.

Skinner, *Sidney*, affinity constants of dihydroxymaleic, dihydroxyfumaric, dihydroxytartaric and tartronic acids, T., 483; P., **1898**, 121; discussion, P., 121.

Smith, *Claude*. See *Charles Frederick* **Cross**.

Smith, *Henry G.*, on myrticolorin, the yellow dye material of *Eucalyptus* leaves, T., 697; P., **1898**, 166.

Snape, *Henry Lloyd*, the action of di-isocyanates upon amido-compounds, P., **1898**, 75.

Sonstadt, *Edward*, on the dissociation of potassium platinichloride in dilute solution and the production of platinum monochloride, P., **1898**, 25.

Spivey, *William Thomas Newton*. See *Thomas Barlow* **Wood**.

Sprankling, *Charles H. C.* See *William Henry* **Perkin**, *jun.*

Stockwell, *Benjamin Mitchell*. See *George* **Young**.

Streatfeild, *Frederick Henry*. See *Raphael* **Meldola**.

Sudborough, *John Joseph*, and *Martin Ernest* **Feilmann**, formation and hydrolysis of esters, P., **1897**, 241; discussion, P., 244.

Sudborough, *John Joseph*, and *Lorenzo L.* **Lloyd**, stereochemistry of unsaturated carbon compounds, part I., etherification of substituted acrylic acids, T., 81; P., **1897**, 240.

T.

Thorpe, *Jocelyn Field*. See *William Henry* **Perkin**, *jun.*

Tickle, *Thomas*. See *John Norman* **Collie**.

Tunnicliffe, *Francis Whittaker*, note on the physiological action of guaiacolate of piperidine, T., 145.

Turnbull, *Andrew*. See *Percy Faraday* **Frankland**.

W.

Wade, *John*, and *Laurence C.* **Panting**, preparation of dry hydrogen cyanide and carbon monoxide, T., 255; P., **1898**, 49.

Walker, *James*, and *John S.* **Lumsden**, determination of molecular weights; modification of Landsberger's boiling point method, T., 502; P., **1898**, 125.

Walker, *James*, and *John K.* **Wood**, solubility of isomeric substances, T., 618; P., **1898**, 158.

—— —— preparation of solid ammonium cyanate, P., **1898**, 108.

Walker, *James Wallace*. See *Winifred* **Judson**.

Whatmough, *W. H.* See *Bevan* **Lean**.

Wildermann, *Meyer*, a new method of determining freezing points in very dilute solution, P., **1897**, 245; discussion, P., 245.

Wilson, *John*. See *William Arthur* **Bone**.

Wood, *John K.* See *James* **Walker**.

Wood, *Percival John*. See *Arthur George* **Perkin**.

Wood, *Thomas Barlow*, *W. T. Newton* **Spivey**, and *Thomas Hill* **Easterfield**, cannabinol, P., **1898**, 66, 153.

Wynne, *William Palmer*, and *James* **Bruce**, disulphonic acids of toluene, of ortho- and para-toluidine, and of ortho- and para-chlorotoluene, T., 730; P., **1898**, 168.

Y.

Young, *George*, and *Henry* **Annable**, benzoylphenylsemicarbazide, P., **1897**, 199.

Young, *George*, and *Ernest* **Clark**, action of ammonia and substituted ammonias on acetylurethane, T., 361; P., **1898**, 73.

Young, *George*, and *Benjamin Mitchell* **Stockwell**, formation of oxytriazoles from semicarbazides, T., 368; P., **1898**, 73.

Young, *Sydney*, the vapour pressures, specific volumes, and critical constants of normal heptane, T., 675; P., **1898**, 165.

—— composition of American petroleum, T., 905; P., **1898**, 175; discussion, P., 177.

Young, *Sydney*. See also *Francis E.* **Francis** and *D. Hamilton* **Jackson**.

INDEX OF SUBJECTS.

TRANSACTIONS. 1898.

(Marked T.); and also to Proceedings of the Session 1897—1898, Nos. 183 to 197, Nov., 1897—June, 1898 (marked P.).

INDEXERS.

J. BRUCE, B.Sc.
A. W. CROSSLEY, M.Sc., Ph.D.
T. EWAN, B.Sc., Ph.D.
M. O. FORSTER, Ph.D.
E. GOULDING, B.Sc.
J. S. HALDANE, M.A., M.D., F.R.S.
R. L. JENKS.
P. A. E. RICHARDS.
L. J. SPENCER, M.A.
J. F. THORPE, Ph.D.

A.

Acetal, brom-, action of, on the sodium derivative of ethylic malonate (PERKIN and SPRANKLING), P., **1898**, 112.

Acetalmalonic acid, and its ethylic salt (PERKIN and SPRANKLING), P., **1898**, 112.

Acetamide, odourless, from the mercury derivative (FORSTER), T., 791.
mercury derivative of (FORSTER), T., 783; P., **1898**, 169.

***o*-Acetamidoguaiacol**, and its nitroso-derivative (MELDOLA and STREATFEILD), T., 690; P., **1898**, 166.

Acetic acid, from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 14; P., **1897**, 217.
action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 555.
ethylic salt, velocity of hydrolysis of (SUDBOROUGH and FEILMANN), P., **1897**, 243.

Acetic chlorides, chlor-, preparation of (FRANKLAND and PATTERSON), T., 183; P., **1898**, 28.

Acetoacetic acid, ethylic salt, enolic and ketonic forms of (MORRELL and CROFTS), P., **1898**, 121.
action of ferric chloride on (MORRELL and CROFTS), T., 346; P., **1898**, 65, 121.

Acetobornylamide (FORSTER), T., 392; P., **1898**, 97.

***p*-Acetobromanilide**, compound of, with sodium hydroxide (COHEN and BRITTAIN), T., 160.

α-and β-Acetobromonaphthalide sodium hydroxides (COHEN and BRITTAIN), T., 161, 162.

***o*-Acetobromotoluidide**, compound of, with sodium and potassium hydroxides, and the action of chloroform on it (COHEN and BRITTAIN), T., 159, 161.

***p*-Acetobromotoluidide**, compounds of, with potassium and sodium hydroxides (COHEN and BRITTAIN), T., 160, 162; P., **1898**, 10.

Acetobromotolylhydrazine (HEWITT and POPE), T., 176; P., **1898**, 7.

α- and β-Acetonaphthalide, compounds of, with sodium hydroxides (COHEN and BRITTAIN), T., 161, 162.

Aceto*neo*bornylamide (FORSTER), T., 395; P., **1898**, 97.

α-Acetonyltricarballylic acid, from hydrolysis of ethylic α-acetylbutanetetracarboxylate, and its silver salt (RUHEMANN and BROWNING), T., 730; P., **1898**, 168.

Acetophenylfenchylamide (GARDNER and COCKBURN), T., 277; P., **1898**, 9.

Aceto-*o*- and *p*-toluidides, action of caustic soda on (COHEN and BRITTAIN), T., 158.

Acetylbenzoylmesaconic acid, ethylic salt (RUHEMANN and BROWNING), T., 730; P., **1898**, 168.

α-Acetylbutanetetracarboxylic acid, ethylic salt and amide (RUHEMANN and BROWNING), T., 729; P., **1898**, 168.

Acetyl*iso*butylsuccinic acid, ethylic salt, hydrolysis of (BENTLEY and PERKIN), T., 49; P., 1897, 219.

Acetylcamphoryloxime (LOWRY), T., 999.

Acetylcannabinol (DUNSTAN and HENRY), P., **1898**, 45; (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 66, 153.

Acetyldiazobenzeneapigenin (PERKIN), T., 667; P., 1898, 161.

Acetyldiazobenzenemorin (PERKIN), T., 671; P., 1898, 161.

Acetyl-γ-dimethylbutyric acid, from *iso*-lauronic acid, and its oxime (PERKIN), T., 844; P., 1897, 201.

Acetylene, action of light on (BONE and WILSON), P., 1898, 155.

Acetylethyltricarballylic acid, ethylic salt (RUHEMANN and BROWNING), T., 728; P., 1898, 167.

Acetylformaldoxime (DUNSTAN and BOSSI), T., 357; P., **1894**, 57.

Acetylgallotannic acid, rotatory power of (ROSENHEIM and SCHIDROWITZ), T., 884; P., 1898, 171.

Acetylhomovitexin (PERKIN), T., 1029; P., 1898, 184.

Acetyl-*m*-nitrodiphenyloxytriazole (YOUNG and STOCKWELL), T., 373; P., 1898, 74.

Acetylphenyl-β-naphthyloxytriazole (YOUNG and STOCKWELL), T., 371; P., 1898, 74.

Acetylphenyl-*p*-tolyloxytriazole (YOUNG and STOCKWELL), T., 370; P., **1898**, 73.

Acetylpiperidylcarbamide (YOUNG and CLARK), T., 366.

Acetyltartaric acid, chlor-, methylic and ethylic salts, rotatory power of (FRANKLAND and PATTERSON), T., 186; P., 1898, 29.

Acetyl-*p*-tolylsemicarbazide (YOUNG and STOCKWELL), T., 369; P., **1898**, 73.

α-Acetyltricarballylic acid, ethylic salt and amide (RUHEMANN and BROWNING), T., 727; P., **1898**, 168.

Acetylurethane, action of acetamide, of acetanilide, of acetylcarbamide, of ammonia, of aniline, of α- and β-naphthylamines, of diphenylamine, of methylamine, of piperidine, and of phenylcarbamide on (YOUNG and CLARK), T., 363—368; P., **1898**, 73.

Acetylvitexin (PERKIN), T., 1022; P., **1898**, 184.

Acid, $C_9H_{14}O_7$ (SCHRYVER), T., 71; P., **1897**, 220.

$C_9H_{16}O_2$, from fusion of camphoric acid with soda, oxidation of (CROSSLEY and PERKIN), T., 36; P., **1897**, 218.

$C_9H_{16}O_3$, from ψ-campholactone (LEES and PERKIN), P., **1898**, 111.

$C_9H_{16}O_4$, and its silver salt, anhydride, from fusion of camphoric acid with soda (CROSSLEY and PERKIN), T., 43; P., **1897**, 218.

$C_{11}H_{16}O_3$, from camphoric anhydride and aluminium chloride (LEES and PERKIN), P., **1898**, 111.

$C_{16}H_{16}O_6$, obtained by condensation of orcinol with chloral hydrate (HEWITT and DIXON), T., 399; P., **1898**, 103.

$C_{18}H_{30}O_5$, from *iso*-butyllevulinic acid and hydrogen cyanide (BENTLEY and PERKIN), T., 60.

standard, preparation of, by absorption of hydrogen chloride (MOODY), T., 658; P., **1898**, 149.

Acids, fatty, from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 4; P., **1897**, 217.

Acids, organic, oxidation of, in presence of ferrous iron (FENTON), P., **1898**, 119.

Aconitic acid, ethylic salt of, condensation of, with piperidine (RUHEMANN and BROWNING), T., 725; P., **1898**, 167.

Acrylic acid, αθ-*di*iod-, etherification of (SUDBOROUGH and LLOYD), T., 92; P., **1897**, 241.

Address, Presidential (DEWAR), T., 1039; P., **1898**, 89.

AFFINITY, CHEMICAL:—

Association, molecular, of liquids, influence of, on osmotic pressure (CROMPTON), P., **1897**, 225.

Affinity, residual, influence of, on tautomerism and intramolecular change (LAPWORTH), T., 457; P., **1897**, 247.

Chemical equilibrium point between dextrose and maltose under the action of maltase and the influence of concentration on (HILL), T., 655; P., **1898**, 157.

Velocity of decomposition of dihydroxymaleic, dihydroxyfumaric, and dihydroxytartaric acids in solution (SKINNER), T., 483; P., **1898**, 121.

Velocity of escape of ammonia from aqueous solutions (PERMAN), T., 511; P., **1898**, 24.

Velocity of hydrolysis of ethereal salts (SUDBOROUGH and FEILMANN), P., **1897**, 241.

AFFINITY, CHEMICAL:—
Velocity of reaction of bromic and hydrobromic acids (JUDSON and WALKER), T., 410; P., **1898**, 64.
Ailanthus glandulosa, presence of quercitin, gallotannin and ellagic acid, and percentage of tannin in (PERKIN and WOOD), T., 381; P., **1898**, 104.
β-Aldehydopropionic acid (PERKIN and SPRANKLING), P., **1898**, 112.
Aluminium mercury couple (COHEN and CALVERT), P., **1898**, 10.
Aluminium alloys with copper, gold, and silver, Röntgen ray photographs of (HEYCOCK and NEVILLE), T., 719, 720; P., **1897**, 106.
Ammonia, drying of, by phosphoric anhydride (BAKER), T., 422; P., **1898**, 99.
quantity of, carried away from an aqueous solution by a current of air (PERMAN), T., 511; P., **1898**, 24.
Ammonium chloride, vapour density of dry (BAKER), T., 425; P., **1898**, 100.
manganic chloride (RICE), T., 260; P., **1898**, 53.
cyanate, solid (WALKER and WOOD), P., **1898**, 108.
iso-**Amylidenedimalonic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1011.
Aniline (*phenylamine*), from phenylhydrazine and mercury acetamide (FORSTER), T., 791; P., **1898**, 169.
behaviour of, towards mercury acetamide (FORSTER), T., 794; P., **1898**, 169.
Aniline, *o*-brom-, preparation of (DOBBIE and MARSDEN), T., 254.
2-bromo-6-nitro-, and 4-bromo-2:6-*di*nitro- (MELDOLA and STREATFEILD), T., 686; P., **1898**, 166.
Annual General Meeting, T., 1039; P., **1898**, 89.
Apigenin, diazobenzene derivative of (PERKIN), T., 667, 670; P., **1898**, 161.
Arabinose, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., **1898**, 147.
Arctostaphylos uva ursi, constituents of leaves of (PERKIN), P., **1898**, 104.
Artocarpus integrifolia, *A. incisa*, and *A. lakoocha*, absence of colouring matter in the leaves or wood of (PERKIN), T., 1019; P., **1898**, 183.
Asbarg (*Delphinium zalil*), the colouring matters and dyeing properties of (PERKIN and PILGRIM), T., 267; P., **1898**, 55.
Atmospheric air, action of the silent discharge on (SHENSTONE and EVANS), T., 246; P., **1898**, 39.
Atmospheric air, detection of volatile impurities such as hydrogen or helium in (DEWAR), P., **1897**, 186.
Atomic weight of boron (ARMITAGE), P., **1898**, 22.
of neodymium (BRAUNER), P., **1898**, 72.
of praseodymium (BRAUNER), P., **1898**, 70.
of thorium (BRAUNER), T., 985; P., **1898**, 68.
Atropic acid (*α-phenylacrylic acid*), etherification of (SUDBOROUGH and LLOYD), T., 91; P., **1897**, 240.
o-**Azotoluene-*p*-sulphonic acid**, potassium salt of (WYNNE and BRUCE), T., 756; P., **1898**, 168.
Azoxybenzene, from β-phenylhydroxylamine and mercury acetamide (FORSTER), T., 786; P., **1898**, 168.
m- and *p*-**Azoxybenzoic acids**, preparation of, and their salts (ELLIOTT), T., 146, 147.

B.

Balance Sheet of the Chemical Society, March 25th, 1898, T., 1044; of the Research Fund, March 25th, 1898, T., 1046.
Barley, effects produced by removing the ears from growing (CROSS, BEVAN, and SMITH), T., 459; P., **1898**, 96.
Barley-straw, the furfuroids and carbohydrates of, and effect of removing the ears (CROSS, BEVAN, and SMITH), T., 459; P., **1898** 96.
Bases, $C_{22}H_{16}N_2$ and $C_{23}H_{18}N_2$, from β-naphthylamine and formaldehyde (MORGAN), T., 550, 553; P., **1898**, 132.
Benzaldehyde, formation of (COHEN and CALVERT), T., 164; P., **1898**, 10.
Benzaldehydebromotolylhydrazone (HEWITT and POPE), T., 178; P., **1898**, 7.
Benzaldehyde-*o*-sulphonic acid semicarbazide (HERZ and BENTLEY), P., **1898**, 125.
p-nitro-, its sodium salt and phenylhydrazone (HERZ and BENTLEY), P., **1898**, 125.
Benzene, presence of, in American petroleum (YOUNG), T., 914; P., **1898**, 175.
from phenylhydrazine and mercury acetamide (FORSTER), T., 791; P. **1898**, 168.
theory (KEKULÉ LECTURE), T., 132; P., **1897**, 236.

Benzene, absorption spectrum of (HARTLEY and DOBBIE), T., 695; P., **1898**, 42.
specific gravities and boiling points of mixtures of *n*-hexane and (JACKSON and YOUNG), T., 922; P., **1898**, 176.
action of bromine on (COLLIE and FRYE), T., 241; P., **1898**, 53.
*hexa*bromide, preparation of, reduction of, actionof alcoholic soda on (MATTHEWS), T., 244; P., **1898**, 52.
*hexa*chlorides, space formulæ for (MATTHEWS), P., **1897**, 232.
Kekulé's benzene formula and (LAPWORTH), P., **1897**, 233.
Benzene, bromo-, action of chlorine on (MATTHEWS), T., 244; P., **1898**, 52.
o-, *m*-, and *p*-*di*bromo-, physical properties of (DOBBIE and MARSDEN), T., 255.
p-*di*bromo- (MATTHEWS) T., 244; P., **1898**, 52.
1 : 2 : 4-*tri*bromo- (MATTHEWS), T., 245; P., **1898**, 52.
1 : 3 : 5-*tri*bromo-2-iodo-, and its *di*chloride (MCCRAE), T., 692; P., **1898**, 166.
1 : 3 : 5-*tri*bromo-2-iodoso-, and its diacetate (MCCRAE), T., 693; P., **1898**, 166.
1 : 3 : 5-*tri*bromo-2-iodoxy- (MCCRAE), T., 693; P., **1898**, 166.
o-bromonitro- (DOBBIE and MARSDEN), T., 254.
o-, *m*-, and *p*-*di*chloro-, physical properties of (DOBBIE and MARSDEN), T., 255.
1 : 2 : 4-*tri*chloro-, formation of, from benzene *hexa*chlorides (MATTHEWS), P., **1897**, 233.
o-chlorobromo- (DOBBIE and MARSDEN), T., 254; P., **1898**, 41.
nitroso-, from β-phenylhydroxylamine and mercuryacetamide (FORSTER), P., 786; P., **1898**, 168.
Benzenediazoxide, 4-bromo-2-nitro- (MELDOLA and STREATFEILD), T., 688.
Benzenoid compounds, substitution in (LAPWORTH), T., 454; P., **1897**, 247.
Benzobornylamide (FORSTER), T., 393; P., **1898**, 97.
Benzoic acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 555.
Benzoic acid, *m*-amino-, action of potash and chloroform on (ELLIOTT), T., 145.
o-nitro-, action of potash and chloroform on (ELLIOTT), T., 147; P., **1898**, 10.
Benzoneobornylamide (FORSTER), T., 395; P., **1898**, 97.
Benzophenone, sulphonation of (LAPWORTH), T., 404; P., **1898**, 112.
*hexa*chloride, preparation of, action of alcoholic potash on, nitration of, action of fuming sulphuric acid on (MATTHEWS), T., 426, 429; P., **1898**, 97.
*tri*chloro-*m*-nitro- (MATTHEWS), T., 430; P., **1898**, 97.
Benzophenone-3 : 3′ (or 3 : 4′)-disulphonic chloride, amide and piperidide (LAPWORTH), T., 405, 406; P., **1898**, 112.
Benzophenonesulphonic acid, *hexa*chloride (MATTHEWS), T., 431; P., **1898**, 97.
Benzophenylsemicarbazide, isomeric forms of (YOUNG and ANNABLE), P., **1897**, 199.
Benzo-*m*-nitrophenylsemicarbazide (YOUNG and STOCKWELL), T., 372; P., **1898**, 74.
Benzoylcamphoryloxime (LOWRY), T., 999.
Benzoylformaldoxime (DUNSTAN and BOSSI), T., 358; P., **1894**, 57.
Benzoyl-*m*-nitrodiphenyloxytriazole (YOUNG and STOCKWELL), T., 373; P., **1898**, 74.
Benzoylphenyl-β-naphthyloxytriazole (YOUNG and STOCKWELL), T., 371; P., **1898**, 74.
Benzoylphenyl-*p*-tolyloxytriazole (YOUNG and STOCKWELL), T., 370; P., **1898**, 73.
Benzoyltartaric acid, diethylic salt, rotatory power of (FRANKLAND and MCCRAE), T., 310; P., **1898**, 74.
Benzoyl-*p*-tolylsemicarbazide (YOUNG and STOCKWELL), T., 369; P., **1898**, 73.
α-Benzoyltricarballylic acid, ethylic salt (RUHEMANN and BROWNING), T., 728; P., **1898**, 168.
Benzylcarbamide, solubility of, in acetone, benzene, ether, and water (WALKER and WOOD), T., 626; P., **1898**, 158.
Benzylic alcohol, formation of (COHEN and CALVERT), T., 164; P., **1898**, 10.
Benzylidenediacetoacetic acid, ethylic salt, action of ferric chloride on (MORRELL and CROFTS), T., 346; P., **1898**, 65.
Bismuth potassium carbonate (REYNOLDS), T., 265; P., **1898**, 54.
Boiling point of mixtures of benzene and *n*-hexane (JACKSON and YOUNG), T., 922; P., **1898**, 176.

Boiling point of a solution, method of determining the (WALKER and LUMSDEN), T., 502; P., **1898**, 125.
Bornylamines, isomeric, and their salts, formyl, acetyl, and benzoyl derivatives (FORSTER), T., 386; P., **1898**, 97.
Boron, atomic weight of (ARMITAGE), P., **1898**, 22.
Boric acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 555.
Bran, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.
Broach leaves, presence of a yellow colouring matter in (PERKIN), P., **1898**, 104.
the tannin of, its percentage, and nature of the colouring principle (PERKIN and WOOD), T., 385; P., **1898**, 105.
Bromic acid, rate of reduction of, by hydrobromic or hydriodic acid (JUDSON and WALKER), T., 410; P., **1898**, 64.
cyclo-**Butane-1:3-dicarboxylic acid** (*tetramethylene-1:3-dicarboxylic acid*), cis- and trans-modifications of, and its anhydride (PERKIN and HAWORTH), T., 337; P., **1898**, 45.
Butanepentacarboxylic acid, ethylic salt (RUHEMANN and CUNNINGTON), T., 1014.
Butoxysuccinic acid, ethylic salt (PURDIE and LANDER), T., **1898**, 295.
iso-**Butylacetic acid**. See *iso*-Hexoic acid.
iso-**Butylethanetricarboxylic acid**, ethylic salt (BENTLEY and PERKIN), T., 64.
iso-**Butyllevulinic acid**, action of hydrogen cyanide on; oxidation; semicarbazone (BENTLEY and PERKIN), T., 51; P., **1897**, 219.
iso-**Butylsuccinic acid**, anilic acid, anil (BENTLEY and PERKIN), T., 50, 63; P., **1897**, 219.
iso-**Butyric acid** (*dimethylacetic acid*), from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 14; P., **1897**, 217.
ethylic salt, velocity of hydrolysis of (SUDBOROUGH and FEILMANN), P., **1897**, 243.
Bye-law V., memorial asking for alteration of; opinion of counsel thereon; action of Council thereon, P., **1898**, 2, 4.
Bye-laws, correspondence relating to suggested alterations in, P., **1898**, 1, 33, 61.

C.

Calcium potassium carbonate (REYNOLDS), T., 265; P., **1898**, 54.
Camphanic acid, constitution of (PERKIN), T., 815.
Camphene, chloro-, behaviour of, towards sulphuric acid (MARSH and HARTRIDGE), T., 853; P., **1898**, 170.
Campholactone, constitution of (PERKIN), T., 815.
amino-, and its hydrochloride and platinochloride; nitro-; nitroso- (SCHRYVER), T., 561, 564, 565; P., **1898**, 98.
ψ-Campholactone, conversion of, into xylic acid (LEES and PERKIN), P., 111.
Camphonitrophenol. See Camphoryloxime.
Camphopyric acid, from oxidation of fenchene and turpentine hydrochloride (GARDNER and COCKBURN), T., 278; P., **1898**, 9
Camphor, constitution of (PERKIN), T., 796; P., **1898**, 169; (MARSH and HARTRIDGE), P., **1898**, 170.
action of ammonium formate on (FORSTER), T., 387; P., **1898**, 97.
Camphor, α-bromo-, and α-chloro-, behaviour of, towards nitric acid (LOWRY), T., 988; P., **1898**, 178.
*αα-di*bromo- and α-chloro-, specific rotatory power of (LOWRY), T., 583, 588; P., **1898**, 135.
*αα-di*bromo-, *αβ-di*bromo-, α-chloro-, *αα'*-chlorobromo-, *α'α*-chlorobromo-, *αβ*-chlorobromo-, *α'αβ*-chloro*di*bromo- (LOWRY), T., 577—588; P., **1898**, 135.
α-bromo-, *αα'*-bromonitro-, *α'α*-bromonitro-, α-chloro-, *αα'*-chloronitro-, *α'α*-chloronitro- (LOWRY), T., 988—990; P., **1898**, 178.
nitro-, behaviour of, towards bromine and chlorine (LOWRY), T., 989, 990; P., **1898**, 178.
α'-nitro-, identity of, with ordinary nitrocamphor (LOWRY), T., 988.
ψ-nitro-, anhydride, identity of, with nitrosocamphor (LOWRY), T., 996; P., **1898**, 152.
Camphoric acid, from oxidation of turpentine hydrochloride (GARDNER and COCKBURN), T., 279; P., **1898**, 9.
constitution of (CROSSLEY and PERKIN), T., 1; P., **1897**, 217; (BENTLEY and PERKIN), T., 45; (SCHRYVER), T., 68; (SUDBOROUGH and LLOYD), T., 96; P., **1897**, 241; (PERKIN), T., 796; P., **1898**, 169.

Camphoric acid, fusion with potash or soda (CROSSLEY and PERKIN), T., 1; P., 1897, 217.

ψ-Camphoric acid, silver, copper, calcium, and lead salts, anhydride, anilic acid (CROSSLEY and PERKIN), T., 39; P., 1897, 218.

Camphoric anhydride, behaviour of, towards aluminium chloride (LEES and PERKIN), P., 1898, 111.

behaviour of, towards hydroxylamine (LOWRY), T., 1003; P., 1898, 179.

Camphoronic acid, isomeride of (SCHRYVER), T., 70; P., 1897, 220.

***iso*-Camphoronic acid**, from the oxidation of fenchone (GARDNER and COCKBURN), T., 711; P., 1898, 151.

Camphoroxime, reduction of (FORSTER), T., 390; P., 1898, 97.

Camphorquinone, from ψ-nitrocamphor anhydride (LOWRY), T., 998; P., 1898, 152.

Camphorsulphonic acid, *di*bromo-, hydrated (LAPWORTH and KIPPING), P., 1898, 159.

Camphoryloxime, acetyl and benzoyl derivatives (LOWRY), T., 999.

β-Camphylic acid (PERKIN), T., 826; P., 1895, 23; 1897, 200.

Cannabinic acid (WOOD, SPIVEY, and EASTERFIELD), P., 1898, 67.

Cannabinol: its reactions, decomposition products, acetyl derivative and complex nature (DUNSTAN and HENRY), P., 1898, 45; (WOOD, SPIVEY, and EASTERFIELD), P., 1898, 67, 153.

Cannabinolactone, amino- and iodo- (WOOD, SPIVEY, and EASTERFIELD), P., 1898, 67, 154.

Caproic acid. See Hexoic acid.

Carbamide (*urea*), formation of, from solid ammonium cyanate (WALKER and WOOD), P., 1898, 109.

Carbohydrates of barley-straw (CROSS, BEVAN, and SMITH), T., 459; P., 1898, 96.

reactions of, with hydrogen peroxide (CROSS, BEVAN, and SMITH), T., 463; P., 1898, 115.

and certain organic acids, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 554; P., 1898, 147.

Carbon, tetravalency of (KEKULÉ LECTURE), T., 122; P., 1897, 236.

Carbon *mono*xide (*carbonic oxide*), preparation of (WADE and PANTING), T., 257; P., 1898, 50.

***cis*- and *trans*-Caronic acids**, synthesis of (PERKIN and THORPE), P., 1898, 108.

Carvanol (*hexahydrocarvacrol*), and **Carvanone**, constitution (MARSH and HARTRIDGE), T., 857; P., 1898, 170.

Carvenol, comparison of, with its isomerides (MARSH and HARTRIDGE), T., 861.

from chlorocamphene, behaviour of towards phosphorus pentachloride; semicarbazone (MARSH and HARTRIDGE), T., 852; P., 1898, 170.

Catechol (*pyrocatechol*), condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 140; P., 1897, 234.

Cellulose, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., 1898, 147.

Cerium, compound nature of (BRAUNER), P., 1898, 69.

Charcoal, oxidation of, by nitric acid (DICKSON and EASTERFIELD), P., 1898, 163.

Charter, proposed supplementary, correspondence relating to; notice of motion for; action of Council thereon, P., 1898, 34, 61, 63.

Chlorine:—

Hydrochloric acid (*hydrogen chloride*), drying of, by phosphoric anhydride (BAKER), T., 422; P., 1898, 99.

absorption of, to form standard acid (MOODY), T., 658; P., 1898, 149.

Chrysin, the diazobenzene derivative of (PERKIN), T., 669; P., 1898, 161.

Cinnamic acid and its bromo-, *di*bromo-, *di*chloro-, cyano-, cyanonitro-, *di*iodo- and nitro-derivatives, etherification of (SUDBOROUGH and LLOYD), T., 88, 91, 92; P., 1897, 240.

α-cyano-, and α-cyano-*o*-nitro-, methylic salts (SUDBOROUGH and LLOYD), T., 88; P., 1897, 240.

***allo*-Cinnamic acid**, and its α- and β-bromo-derivatives, etherification of (SUDBOROUGH and LLOYD), T., 91; P., 1897, 240.

β-bromo-, methylic salt (SUDBOROUGH and LLOYD), T., 87; P., 1897, 240.

Citraconic acid, ethylic salt, condensation of, with piperidine (RUHEMANN and BROWNING), T., 725; P., 1898, 167.

Cobalt potassium carbonate (REYNOLDS), T., 264; P., 1898, 54.

Colouring matter, $C_{15}H_{10}O_7$, and its acetyl derivative from leaves of *Arctostaphylos uva ursi*, and broach leaves (PERKIN), P., 1898, 104.

Colouring matters, metallic salts of natural yellow, and their constitution (PERKIN and WOOD), P., 1898, 57.

Copper alloys, with aluminium, Röntgen ray photographs of (HEYCOCK and NEVILLE), T., 720; P., **1897**, 106.

Cupric potassium carbonates (REYNOLDS), T., 263; P., **1898**, 54.
sulphate, action of magnesium on (CLOWES and CAVEN), P., **1897**, 221; (DIVERS), P., **1898**, 57.

Cuprous iodide, pure, preparation and action of air on (LEAN and WHATMOUGH), T., 149; P., **1898**, 5.

Cork, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.

***p*-Cresol**, 3:5-*di*nitro-, formation of (LAPWORTH and MILLS), P., **1898**, 159.

Critical data of normal heptane (YOUNG), T., 679; P., **1898**, 165.

Crystallography compound crystals of sodium chlorate (POPE), T., 949; P., **1898**, 178.

Cyanogen.
Hydrocyanic acid (*hydrogen cyanide, formonitrile, prussic acid*) (WADE and PANTING) T., 255; P., **1898**, 49.

Cyanic acid, ammonium salt (WALKER and WOOD), P., **1898**, 109.

Cymene (p-*methylisopropylbenzene* p-*isocymene*), chloro-, from carvenol (MARSH and HARTRIDGE), T., 854; P., **1898**, 170.

***p*-Cymene** (p-*methylpropylbenzene*), from carvenol (MARSH and HARTRIDGE), T., 856; P., **1898**, 170.

Cymenesulphonic acid, chloro-, barium salt (MARSH and HARTRIDGE), T., 855.

D.

Decenoic acid (α-iso*propyl*-β-iso*butylacrylic acid*) and its salts (BENTLEY and PERKIN), T., 66.

Decoic acid (*di*iso*butylacetic acid*), chloride, amide, anilide, *p*-toluidide (BENTLEY and PERKIN), T., 62.
α-bromo, ethylic salt (BENTLEY and PERKIN), T., 65.

Delphinium zalil, the colouring matters of (PERKIN and PILGRIM), T., 267; P., **1898**, 55.

Density, of mixtures of benzene and *n*-hexane (JACKSON and YOUNG), T., 922; P., **1898**, 176.
of liquid fluorine (MOISSAN and DEWAR), P., **1897**, 180.
of liquid hydrogen (DEWAR), T., 534; P., **1898**, 146.

Dextrin, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.

Dextrose (d-*glucose, grape sugar*), action of hydrogen peroxide on, in presence of ferrous sulphate (CROSS, BEVAN, and SMITH), T., 465, 469; P., **1898**, 116.
conversion of, into maltose by action of maltase (HILL), T., 649; P., **1898**, 157.
influence of, on the crystallisation of sodium chlorate (KIPPING and POPE), T., 612; P., **1898**, 160.
estimation of, adaptation of Pavy's method for the (HILL), T., 638.

Diacetyldiazobenzene-euxanthone (PERKIN), T., 672; P., **1898**, 161.

Diacetyldiazobenzenegentisin (PERKIN), T., 674; P., **1898**, 161.

Diacetyl-*d*-tartaric acid, *di*chloro-, methylic and ethylic salts, rotatory powers of (FRANKLAND and TURNBULL), T., 203; P., **1898**, 29.
di-, *tetra-*, and *hexa*-chloro-, methylic and ethylic salts, rotatory power of (FRANKLAND and PATTERSON), T., 183, 189; P., **1898**, 28, 29.

Diacetyltetrazobenzenehesperitin (PERKIN), T., 1033, 1037; P., **1898**, 185.

Diazoaminobenzaldehyde, behaviour of, towards mercury acetamide (FORSTER), T., 793; P., **1898**, 169.

Diazobenzeneapigenin and its acetyl derivative (PERKIN), T., 667; P., **1898**, 161.

Diazobenzene-chrysin, -euxanthone, -gentisin, and **-morin** (PERKIN), T., 669—673; A., **1898**, 161.

Di*iso*butyl. See under Octane.

Di*iso*butylacetic acid. See Decoic acids.

Di*iso*butylmalonic acid, ethylic salt (BENTLEY and PERKIN), T., 61.

Dihydrobenzene. See *cyclo*-Hexadiene.

Dihydrocamphoketone, semicarbazone, oxime (CROSSLEY and PERKIN), T., 26; P., **1897**, 218.
oxidation of (CROSSLEY and PERKIN), T., 29; P., **1897**, 218.

Dihydrocamphoric acid, its silver salt, and anhydride (CROSSLEY and PERKIN), T., 23; P., **1897**, 218.
oxidation of (CROSSLEY and PERKIN), T., 26; P., **1897**, 218.

Dihydro-β-camphylic acid, bromo-, chloro-, and chloro*di*bromo- (PERKIN), T., 824, 825, 827; P., **1897**, 200.

Dihydro*iso*lauronic acid (PERKIN), T., 836, 848; P., **1897**, 201.

Dihydro*iso*lauronolic acid, silver and ammonium salts (PERKIN), T., 836; P., **1897**, 201.
bromo-, methylic salt (PERKIN), T., 838.

Dihydroxydinicotinic acid. See 2 : 6-Dihydroxypyridine-3 : 5-dicarboxylic acid.

Dihydroxyfumaric acid, conductivity and rate of decomposition of solutions of (SKINNER), T., 488; P., **1898**, 121.

Dihydroxymaleic acid, explanation of the production of, from tartaric acid (FENTON), P., **1898**, 119.
conductivity and rate of decomposition of solutions of (SKINNER), T., 483; P., **1898**, 121.
conversion of, into dihydroxytartaric acid (FENTON), T., 72; P., **1897**, 224.

2 : 6-Dihydroxypyridine, formation of, from monethylic ethoxy-α-pyridonedicarboxylate (RUHEMANN), T., 352; P., **1898**, 73.

2 : 6-Dihydroxypyridine-3 : 4-dicarboxylic acid (*2 : 6-dihydroxydinicotinic acid*), ethylic salt, formation of, from ethylic cyanacetate, and its salts (RUHEMANN and BROWNING), T., 280; P., **1898**, 47.
*di*chloro-, ethylic salt of (RUHEMANN and BROWNING), T., 286; P., **1898**, 47.

Dihydroxystearic acids, oxidation of, with alkaline potassium permanganate (EDMED), T., 630; P., **1898**, 133.

Dihydroxytartaric acid, preparation of, from dihydroxymaleic acid (FENTON), T., 72; P., **1897**, 224.
conductivity and rate of decomposition of solutions of (SKINNER), T., 488; P., **1898**, 121.
action of heat on aqueous solutions of (FENTON), T., 73; P., **1897**, 224.
salts of (FENTON), T., 472; P., **1898**, 120.
titration of, with alkalis, and reduction of (FENTON), T., 74, 77; P., **1897**, 224, 225.

Diketohexamethylene (*diketocyclohexane*), ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 603; P., **1898**, 41.

Dimethylacetic acid. See Butyric acid.

Dimethylaniline, action of nitrogen trioxide and of benzoic chloride on (COHEN and CALVERT), T., 163, 165; P., **1898**, 10.

αα-Dimethylglutaric acid (*pentanedicarboxylic acid*), and its anhydride and anilic acid (PERKIN, T., 846; P., **1897**, 201.

ββ-Dimethylglutaric acid (*pentanedicarboxylic acid*), α-bromo-, methylic, hydrogen ethylic, and ethylic salts; **αα'-***di***bromo-,** methylic salt (PERKIN and THORPE), P., **1898**, 108.

Dimethylmalonic acid (*propanedicarboxylic acid*), from oxidation of fenchone (GARDNER and COCKBURN), T., 709; P., **1898**, 151.

Dimethylnaphthalene, obtained by distilling podophyllotoxin and picropodophyllin with zinc dust (DUNSTAN and HENRY), T., 218.

Dimethylcyclopentane (*dimethylpentamethylene*), probable presence of in American petroleum (YOUNG), T., 917; P., **1898**, 175.

2 : 4-Dimethylpyridine-3-carboxylic acid (*lutidinecarboxylic acid*), 5-chloro- (COLLIE and LEAN), T., 591; P., **1898**, 148.

***as*-Dimethylsuccinic acid** (*isobutanedicarboxylic acid*, gem-*dimethylsuccinic acid*), from *iso* lauronic acid, the anil and anilic acid (PERKIN), T., 842; P., **1897**, 201.

Dimethyltricarballylic acid (*pentanetricarboxylic acid*), from oxidation of fenchone (GARDNER and COCKBURN), T., 710. P., **1898**, 151.

Diphenylenediphenylsemicarbazide (SNAPE), P., **1898**, 75.

Diphenylmethane, sulphonation of (LAPWORTH), T., 408; P., **1898**, 112.

Diphenylmethane-4 : 4'-disulphonic chloride, anilide and piperidide (LAPWORTH), T., 409; P., **1898**, 112.

Diphenylmethane-*o*-sulphone (LAPWORTH), T., 408; P., **1898**, 112.

1 : 2 : 4-Diphenyltolylenedicarbamide (SNAPE), P., **1898**, 75.

Dulcitol, influence of, on the crystallisation of sodium chlorate (KIPPING and POPE), T., 616; P., **1898**, 160.
action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., **1898**, 147.

***iso*-Dulcitol** (*rhamnose*), action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558; P., **1898**, 147.

E.

Elaidic acid, oxidation of, with alkaline potassium permanganate; fusion with potash (EDMED), T., 629, 633; P., **1898**, 133.

Election of Officers, memorial to the Council with reference to the; opinion of counsel thereon; action of the Council thereon; correspondence relating thereto, P., **1898**, 2, 4, 33, 61.

Electrical conductivity of solutions of dihydroxymaleic, dihydroxyfumaric, dihydroxytartaric, and tartronic acids (SKINNER), T., 483; P., **1898**, 121.

Electric discharge, action of, on air (SHENSTONE and EVANS), T., 246; P., **1898**, 39.

Ellagitannic acid, presence of in *Tamaris Africana* leaves (PERKIN and WOOD), T., 380; P., **1898**, 104.

Ellagitannin, presence of, in *Arctostaphylos uva ursi* (PERKIN), P., **1898**, 104.

Enantiomorphous crystals, influence of the solvent on the deposition of (KIPPING and POPE), T., 608; P., **1898**, 160.

Erythritol, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.

Ethereal salts, factors determining formation and velocity of hydrolysis (SUDBOROUGH and FEILMANN), P., **1897**, 242.

of polycarboxylic acids, formation of (RUHEMANN and CUNNINGTON), T., 1006; P., **1898**, 179.

5-Ethoxy-5-phenyl-1-*m*-nitrophenyltriazole (YOUNG and STOCKWELL), T., 373; P., **1898**, 74.

3-Ethoxy-5-phenyl-1-*p*-tolyltriazole (YOUNG and STOCKWELL), T., 370; **1898**, 73.

Ethoxypropionic acid, ethylic salt, from silver lactate and ethylic iodide (PURDIE and LANDER), T., 298.

***d*-α-Ethoxypropionic acid** and its sodium, barium, calcium and silver salts and their optical activity (PURDIE and LANDER), T., 865; P., **1898**, 171.

***i*-α-Ethoxypropionic acid** and its ethylic and calcium salts; also its resolution with cinchonidine and with morphine (PURDIE and LANDER), T., 683; P., **1898**, 171.

Ethoxysuccinic acid, ethylic salt (PURDIE and LANDER), T., 294.

Ethylacetoacetic acid, ethylic salt, action of ferric chloride on (MORRELL and CROFTS), T., 346.

α-Ethylpropane-$\alpha\alpha_1\beta$-tetracarboxylic acid, ethylic salt (RUHEMANN and CUNNINGTON), T., 1009.

Eucalyptus macrorhyncha, colouring matter of the leaves of (SMITH), T., 697; P., **1898**, 166.

Euxanthone, diazobenzene derivative of (PERKIN), T., 671; P., **1898**, 161.

F.

Fenchene, preparation and oxidation of (GARDNER and COCKBURN), T., 276, 277; P., **1898**, 8.

chloro-, α- and β-hydrochlorides (GARDNER and COCKBURN), T., 704; P., **1898**, 150.

chlorobromo- (GARDNER and COCKBURN), T., 707; P., **1898**, 150.

Fenchenephosphonic acid, chloro-, behaviour of, towards bromine (GARDNER and COCKBURN), T., 707; P., **1898**, 150.

Fenchone, preparation and reduction of (GARDNER and COCKBURN), T., 275; P., **1898**, 8.

oxidation and constitution of (GARDNER and COCKBURN), T., 708; P., **1898**, 151.

behaviour of, towards phosphorus pentachloride (GARDNER and COCKBURN), T., 704; P., **1898**, 151.

Fenchone, nitro- (GARDNER and COCKBURN), T., 712; P., **1898**, 151.

Fenchylic alcohol and **chloride**, preparation of (GARDNER and COCKBURN), T., 276; P., **1898**, 8.

Ficus carica, the colouring matter and tannin value of (PERKIN and WOOD), T., 383, P., **1898**, 105.

Fisetin, salts of (PERKIN and WOOD), P., **1898**, 57.

Flemingia congesta, dye-stuff "waras" obtained from the seed-pods of (PERKIN), T., 660; P., **1898**, 162.

Flemingin (PERKIN), T., 661; P., **1898**, 162.

Fluorine, properties of liquid (MOISSAN and DEWAR), P., **1897**, 175.

Formaldehyde, condensation of, with ethylic malonate (PERKIN and HAWORTH), T., 339; P., **1898**, 45.

action of, on β-naphthylamine (MORGAN), T., 536; P., **1898**, 132.

Formaldoxime, hydrolysis, reduction, and behaviour of, towards bromine, phosphoric anhydride, alkali metals, and metallic salts (DUNSTAN and BOSSI), T., 358; P., **1894**, 56.

hydrochloride, hydrobromide, hydriodide, sodium, acetyl, and benzoyl derivatives (DUNSTAN and BOSSI), T., 353; P., **1894**, 55.

Formic acid, obtained from the wood of *Goupia tomentosa* (DUNSTAN and HENRY), T., 226; P., **1898**, 44.

Formobornylamide (FORSTER), T., 392; P., **1898**, 97.

Formo*neo*bornylamide (FORSTER), T., 394; P., **1898**, 97.

Freezing point, of dilute solutions, method of determining the (WILDERMANN), P., **1897**, 245.
of solutions of ethylic monobenzoyl- and toluoyl-tartrates in acetic acid (FRANKLAND and MCCRAE), T., 322 ; P., **1898**, 74.
of solutions of permanganates and perchlorates in fused sodium sulphate (CROFTS), T., 596 ; P., **1898**, 124.
Fruits, unripe, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.
Fumaric acid, condensation of, with piperidine (RUHEMANN and BROWNING), T., 723 ; P., **1898**, 167.
Furfuraldehyde (*furfurol*), ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 598 ; P., **1898**, 41.
Furfuraldehydetolylhydrazone (HEWITT and POPE), T., 178 ; P., **1898**, 7.
Furfuramide, ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 598 ; P., **1898**, 41.
Furfuran, ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 631 ; P., **1898**, 41.
Furfuroids of barley straw, the maturation changes of the (CROSS, BEVAN and SMITH), T., 459 ; P., **1898**, 96.

G.

Galactose, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.
Gallic acid (3 : 4 : 5-*trihydroxybenzoic acid*), solubility of, in various liquids (ROSENHEIM and SCHIDROWITZ), T., 882 ; P., **1898**, 171.
condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 144 ; P., **1897**, 234.
Gallotannic acid, presence of, in leaves of *Pistacia lentiscus*, *Ailantus glandulosa*, and in "Gambuzzo" (PERKIN and WOOD), T., 377, 382, 383 ; P., **1898**, 104, 105.
presence of, in *Rhus rhodanthema* leaves (PERKIN), T., 1018, P., **1898**, 183.
rotatory power and constitution of (ROSENHEIM and SCHIDROWITZ), T., 878 ; P., **1898**, 171.
influence of concentration, solvent, and admixed substances on the rotatory power of (ROSENHEIM and SCHIDROWITZ), T., 886 ; P., **1898**, 172.
Gallotannic acid, quinine salt, rotatory power of (ROSENHEIM and SCHIDROWITZ), T., 884 ; P., **1898**, 171.
"**Gambuzzo**," presence of myricetin and gallotannic acid in (PERKIN and WOOD), T., 383 ; P., **1898**, 105.
Gentisin, diazobenzene derivative of (PERKIN), T., 672 ; P., **1898**, 161.
Glutaconic acid, *dic*yano-, ethylic salt and its salts (RUHEMANN and BROWNING), T., 282 ; P., **1898**, 47.
Glycerol, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557 ; P., **1898**, 147.
Glycogen, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.
Glycollic aldehyde, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.
Gold alloys with aluminium and with sodium, Röntgen ay photographs of (HEYCOCK and NEVILLE), T., 716, 719 ; P., **1897**, 106.
Goupia tomentosa, separation of lauric, normal caproic, *iso*valeric, formic, and succinic acids, from the wood of (DUNSTAN and HENRY), T., 226 ; P., **1898**, 44.
Guaiacol, condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 140 ; P., **1897**, 234.
Guaiacol, *o*-amino-, hydrochloride, and acetyl derivative (MELDOLA and STREATFEILD), T., 690 ; P., **1898**, 166.
4-bromo-6-nitro-, and 6-bromo-4-nitro-, and their benzoates, and sodium salts (MELDOLA and STREATFEILD), T., 689 ; P., **1898**, 166.
Gum, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 27, 557.

H.

Helium liquefaction of (DEWAR) T., 533 ; P., **1898**, 130.
separation from nitrogen by liquefaction (DEWAR), P., **1897**, 190.
n-**Heptane**, presence of, in American petroleum (YOUNG), T., 916 ; P., **1898**, 175.
separation of, from American petroleum, and its physical constants (FRANCIS and YOUNG), T., 920 ; P., **1898**, 176.
critical data, vapour pressures and specific volumes of (YOUNG), T., 675 ; P., **1898**, 165.
iso-**Heptane**, presence of, in American petroleum (YOUNG), T., 916 ; P., **1898**, 175.

iso-**Heptane**, separation of, from American petroleum and its physical constants (FRANCIS and YOUNG), T., 920; P., **1898**, 176.
action of fuming nitric acid on, and its *tri*nitro-derivative (FRANCIS and YOUNG), T., 931; P., **1898**, 177.
Heptoic acid (*1βββ-dimethylethylpropionic acid*), from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 18; P., **1897**, 218.
Heptylic bromide, *normal* and *iso*-, and their sp. gr. (FRANCIS and YOUNG), T., 921; P., **1898**, 176.
Hesperitin, formula of, and its hexacetyl, tetrazobenzene, diacetyltetrazobenzene, sodium, potassium, sodium acetate and potassium acetate derivatives (PERKIN), T., 1031; P., **1898**, 185.
Hexacetylhesperitin (PERKIN), T., 1034; P., **1898**, 185.
cyclo-**Hexadiene** (*dihydrobenzene*), and its chloro-derivative (FORTEY), T., 936, 948; P., **1898**, 103.
Hexamethylene. See *cyclo*-Hexane.
n-**Hexane**, presence of, in American petroleum (YOUNG), T., 910; P., **1898**, 175.
specific gravities and boiling points of mixtures of benzene with (JACKSON and YOUNG), T., 922; P., **1898**, 176.
iso-**Hexane**, presence of, in American petroleum (YOUNG), T., 909; P., **1898**, 175.
action of fuming nitric acid on, and its *tri*nitro-derivative (FRANCIS and YOUNG), T., 929; P., **1898**, 177.
cyclo-**Hexane** (*hexamethylene*), presence of, in American petroleum (YOUNG), T., 915; P., **1898**, 175.
from Galician petroleum (FORTEY), T., 932, 937; P., **1898**, 103.
bromo-, *di*bromo-, *tetra*bromo-, *di*chloro-, *tri*chloro- and *tetra*chloro-; and conversion of chloro*cyclo*hexane into tetrahydrobenzene (FORTEY), T., 936, 940, 948; P., **1898**, 103.
cyclo-**Hexanedione**, ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 604; P., **1898**, 41.
cyclo-**Hexene** (*tetrahydrobenzene*) (FORTEY), T., 941; P., **1898**, 103.
Hexoic [illegible] (*caproic acid*), obtained [illegible] wood of *Goupia tomentosa* [illegible]STAN and HENRY), T., 226; [illegible], **1898**, 44.
iso-**Hexoic acid** (*isobutylacetic acid*), its bromo-derivative and the ethylic salt of the latter (BENTLEY and PERKIN), T., 48, 49; P., **1897**, 219.
Hexoic acid (*methylisopropylacetic acid, αββ-trimethylpropionic acid*), from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 16; P., **1897**, 218.
Hexoses, action of hydrogen peroxide on (CROSS, BEVAN and SMITH), T., 465, 467; P., **1898**, 116.
Homoflemingin (PERKIN), T., 664; P., **1898**, 162.
Homoitaconic acid, identity of, with *cyclo*butane-1:3-dicarboxylic acid (PERKIN and HAWORTH), T., 337; P., **1898**, 45.
Homovitexin, and its acetyl derivative; decomposition products and dyeing properties of (PERKIN), T., 1029; P., **1898**, 184.
Hydrazine and its hydrochloride, behaviour of, towards mercury acetamide (FORSTER), T., 788; P., **1898**, 189.
Hydrazobenzene (*s-diphenylhydrazine*), behaviour of, towards mercury acetamide (FORSTER), T., 793; P., **1898**, 189.
Hydrocarbon $C_{10}H_{16}$, from cannabinol (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 66.
$C_{10}H_{20}$, formed by reduction of cannabinol (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 66.
Hydrogen, boiling point and density of liquid (DEWAR), T., 534; P., **1898**, 146.
liquefaction of (DEWAR), T., 528; P., **1898**, 129.
absorption of, by palladium at high temperatures (DEWAR), P., **1897**, 192.
p-**Hydroxybenzoic acid**, obtained by fusion of podophylloresin with potash (DUNSTAN and HENRY), T., 222.
Hydroxybenzoic acids, solubility of, in water, benzene, acetone, and ether (WALKER and WOOD), T., 622; P., **1898**, 158.
γ-Hydroxy-α-*iso*butylvaleric acid. See under Hydroxynonoic acids.
α-Hydroxydi*iso*butylacetic acid (BENTLEY and PERKIN), T., 66.
5-Hydroxy-2-dimethoxymethylphenylhydro-4-pyronecarboxylic acid (DUNSTAN and HENRY), T., 223; P., **1898**, 42.
δ-Hydroxy-γ-dimethylhexolactone (PERKIN), T., 846.
4-Hydroxy-2:6-dimethylpyridine, 3-amino-, and 3-nitro- (HALL and COLLIE), T., 238; P., **1898**, 51.
Hydroxy*cyclo*hexane (*hydroxyhexamethylene*), chloro- (FORTEY), T., 948; P., **1898**, 103.

Hydroxylamine, behaviour of, towards mercury acetamide (FORSTER), T., 783; P., **1898**, 169.
estimation of (FORSTER), T., 785.
Hydroxylamine hydrochloride, behaviour of, towards mercury acetamide (FORSTER), T., 784; P., **1898**, 169.
Hydroxylaminocampholactone (SCHRYVER), T., 563; P., **1898**, 98.
Hydroxylutidine. See 4-Hydroxy-2:6-dimethylpyridine.
α_1-Hydroxy-α_1-methyl-α-*iso*butylglutaric acid, and its silver and ethylic salts and lactone (BENTLEY and PERKIN), T., 55; P., **1897**, 219.
3-Hydroxy-1-β-naphthyl-5-phenyltriazole and its acetyl and benzoyl derivatives (YOUNG and STOCKWELL), T., 371; P., **1898**, 74.
Hydroxynonoic acid (*γ-hydroxy-α-iso-butylvaleric acid*), γ-cyano-, lactone of (BENTLEY and PERKIN), T., 53; P., **1897**, 219.
3-Hydroxy-5-phenyl-1-*m*-nitrophenyltriazole, and its acetyl and benzoyl derivatives (YOUNG and STOCKWELL), T., 372; P., **1898**, 74.
3-Hydroxy-5-phenyl-1-*p*-tolyltriazole, and its acetyl and benzoyl derivatives (YOUNG and STOCKWELL), T., 370; P., **1898**, 73.
4-Hydroxypyridine, *tetra*chloro-, and its salts (SELL and DOOTSON), T., 781; P., **1898**, 168.
Hydroxy-*p*-toluic acid, from *iso*lauronic acid (PERKIN), T., 851.

I.

Intramolecular changes, a possible basis of generalisation of (LAPWORTH), T., 445; P., **1897**, 246.
Inulin, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., **1898**, 147.
Iodine, preparation of pure (LEAN and WHATMOUGH), T., 148; P., **1898**, 5.
Iron:—
Ferrous potassium carbonate (REYNOLDS), T., 265; P., **1898**, 54.
Isomerides, optical, separation of (KIPPING and POPE), P., **1898**, 113.
Isomerism, problem of (KEKULÉ LECTURE), T., 138.

K.

Kekulé Memorial Lecture (JAPP), T., 97; P., **1897**, 235; discussion, P., 237.
β-Ketonic acids, formation of (RUHEMANN and BROWNING), T., 727; P., **1898**, 168.
Ketopentamethylene. See *cyclo*-Pentanone.
Ketophenylparaconic acid, ethylic salt, action of ferric chloride on (MORRELL and CROFTS), T., 347; P., **1898**, 65.

L

Lactic acid (*i-ethylidenelactic acid, α-hydroxypropionic acid*), silver salt, action of alkylic iodides on (PURDIE and LANDER), T., 296; P., **1898**, 76.
ethylic salt, action of ethylic iodide on (PURDIE and LANDER), T., 300; P., **1898**, 76.
Lactone obtained by reduction of iodocannabinolactone (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 154.
$C_{16}H_{14}O_5$, obtained from condensation product of orcinol with chloral hydrate; and its acetyl and benzoyl derivatives (HEWITT and DIXON), T., 400; P., **1898**, 103.
Lactose (*milk-sugar*), action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 556.
Lauric acid (*dodecoic acid*), obtained from the wood of *Goupia tomentosa* (DUNSTAN and HENRY), T., 226; P., **1898**, 44.
iso-**Lauronic acid**, silver salt, oxime, semicarbazone (PERKIN), T., 839; P., **1898**, 169.
Lauronolic acid, constitution of (PERKIN), T., 815.
behaviour towards nitric acid and nitric peroxide (SCHRYVER), T., 561; P., **1898**, 98.
iso-**Lauronolic acid**, silver, methylic, ethylic salts; constitution; reduction; conversion into sulphocamphylic and *iso*lauronic acids (PERKIN), T., 828; P., **1895**, 23; **1897**, 200; **1898**, 169.
*di*bromo-, ethylic salt (PERKIN), T., 834.
Lecture experiments:—
Conservation of mass and gaseous diffusion (CUNDALL), P., **1898**, 40.
Law of multiple proportions (JONES), P., **1898**, 110.
Lecture, memorial: Kekulé (JAPP), T., 97; P., **1897**, 237.
Levulose (*d-fructose, fruit sugar*) action of hydrogen bromide on, in presence of ether FENTON and GOSTLING), T., 557.
action of hydrogen peroxide on, in presence of ferrous sulphate (CROSS, BEVAN and SMITH), T., 471; P., **1898**, 116.

Liquefaction of air or nitrogen containing hydrogen or helium (DEWAR), P., **1897**, 186.
of fluorine (MOISSAN and DEWAR), P., **1897**, 178.
of hydrogen and helium (DEWAR), T., 528; P., **1898**, 129.
Lutidinecarboxylic acid. See 2 : 4-Dimethylpyridine-3-carboxylic acid.
Lutidone. See 4-Hydroxy-2 : 6-dimethylpyridine.
ψ-Lutidostyril (2 : 4-*dimethylpyridone*), nitration of, and its amino- and nitro-derivatives (COLLIE and TICKLE), T., 229, 232; P., **1898**, 50.
ψ-Lutidostyrilcarboxylic acid, amino- and nitro- and their ethylic salts (COLLIE and TICKLE), T., 233, 234; P., **1898**, 50.

M.

Magnesium, action of, on cupric sulphate (CLOWES and CAVEN), P., **1897**, 221; (DIVERS), P., **1898**, 57.
potassium carbonate (REYNOLDS), T., 264; P., **1898**, 54.
Magnetic properties of liquid fluorine (MOISSAN and DEWAR), P., **1897**, 181.
Malic acid, silver salt, action of ethylic, *iso*propylic and *n*-butylic iodides on (PURDIE and LANDER), T., 288, 293, 295; P., **1898**, 76.
ethylic salt, and *iso*propylic salt, rotation of (PURDIE and LANDER), T., 288, 293.
action of ethylene on (PURDIE and LANDER), T., 301.
Malonic acid, ethylic salt, action of bromacetal on the sodium derivative of (PERKIN and SPRANKLING), P., **1898**, 112.
condensation of, with formaldehyde (PERKIN and HAWORTH), T., 339; P., **1898**, 45.
Maltase, preparation of, from yeast, its properties and tests (HILL), T., 634; P., **1898**, 635—637.
Maltose, probable synthesis of, by action of maltase on dextrose (HILL), T., 649; P., **1898**, 157.
action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.
influence of dextrose and of the concentration of solution on the hydrolysis of, by maltase (HILL), T., 641—649; P., **1898**, 157.
Manganese potassium carbonate (REYNOLDS), T., 264; P., **1898**, 54.
Manganic chloride, and its double salts with potassium and ammonium chlorides (RICE), T., 260; P., **1898**, 53.
Mannitol, influence of, on the crystallisation of sodium chlorate (KIPPING and POPE), T., 613; P., **1898**, 160.
action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., **1898**, 147.
Mannosaccharic acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.
Mechanical representation of intramolecular change (LAPWORTH), T., 448; P., **1897**, 246.
Mellitic acid, from oxidation of charcoal by nitric acid (DICKSON and EASTERFIELD), P., **1898**, 163.
Memorial lecture, Kekulé (JAPP), T., 97; P., **1897**, 235; discussion, P., 237.
Memorial to Council with reference to the election of officers; opinion of counsel thereon; action of Council thereon; correspondence relating thereto, P., **1898**, 2, 4, 33, 61.
Mercuryacetamide, behaviour towards certain nitrogen compounds (FORSTER), T., 783; P., **1898**, 169.
Mercurydiphenyl, from phenylhydrazine and mercury acetamide (FORSTER), T., 791; P., **1898**, 169.
Mercury-aluminium couple (COHEN and CALVERT), P., **1898**, 10.
Methoxybenzene, 4-bromo-2 : 6-*di*nitro- (MELDOLA and STREATFEILD), T., 688; P., **1898**, 166.
la-**Methoxypropionic acid** and its sodium, calcium and silver salts, and their optical activity (PURDIE and LANDER), T, 870; P., **1898**, 171.
ia-**Methoxypropionic acid** and its methylic and calcium salts, also its resolution with morphine (PURDIE and LANDER), T., 868; P., **1898**, 171.
Methylacetoacetic acid, ethylic salt, action of ferric chloride on (MORRELL and CROFTS), T., 346.
Methylaniline, and its platinochloride (COHEN and CALVERT), T., 165.
nitroso-, formation of (COHEN and CALVERT), T., 164; P., **1898**, 10.
Methylenemalonic acid, ethylic salt, and its *para*- and *meta*-polymerides (PERKIN and HAWORTH), T., 341; P., **1898**, 45.
Methylenic iodide, properties of (MADAN), P., **1898**, 101.
Methyl*cyclo*hexane (*methylhexamethylene*), presence of, in American petroleum (YOUNG), T., 917; P., **1898**, 175.

Methyl*cyclo*pentane (*methylpentamethylene*), presence of, in American petroleum (YOUNG), T., 910; P., **1898**, 175.

α- and β-Methylpropanetetracarboxylic acids, ethylic salts (RUHEMANN and CUNNINGTON), T., 1009, 1010.

Methyl*iso*propylacetic acid. See under Hexoic acids.

Morin, sodium, potassium, ammonium, and magnesium salts of (PERKIN and WOOD), P., **1898**, 56.

diazobenzene derivative of (PERKIN), T., 670; P., **1898**, 161.

Mucic acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.

action of hydrogen peroxide on, in the presence of ferrous iron (FENTON), P., **1898**, 120.

Myricetin, presence of, in *Rhus cotinus* leaves (sumach), (PERKIN), T., 1017; P., **1898**, 183.

presence of, in the leaves of *Pistacia lentiscus*, in "gambuzzo," and galls of *P. terebinthus* (PERKIN and WOOD), T., 376; P., **1898**, 104.

salts of (PERKIN and WOOD), P., **1898**, 57.

Myrticolorin, the colouring matter of *Eucalyptus macrorhyncha* (SMITH), T., 698; P., **1898**, 166.

N.

Naphthacridine, and its methiodide and ethiodide (MORGAN), T., 548; P., **1898**, 132.

***iso*-Naphthacridine**, methiodide, ethiodide; conversion of, into naphthacridine (MORGAN), T., 544; P., **1898**, 132.

α-Naphthol, 2:4-*di*nitro-, condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 144; P., **1897**, 234.

β-Naphthylamine, behaviour of, towards formaldehyde (MORGAN), T., 536; P., **1898**, 132.

β-Naphthylsemicarbazide (YOUNG and STOCKWELL), T., 370; P., **1898**, 73.

Neobornylamine, its salts, formyl, acetyl, and benzoyl derivatives (FORSTER), T., 386; P., **1898**, 97.

Neodymium, atomic weight of (BRAUNER), P., **1898**, 72.

absorption spectrum of (BRAUNER), P., **1898**, 72.

Neodymium, salts and oxide of (BRAUNER), P., **1898**, 72.

Nickel potassium carbonate (REYNOLDS), T., 264; P., **1898**, 54.

Nitrogen *tri*oxide (*nitrous anhydride*), preparation of liquid (COHEN and CALVERT), T., 166.

***tet*roxide** (*nitric peroxide*), influence of, on the formation of ozone from air (SHENSTONE and EVANS), T., 250; P., **1898**, 40.

Nitrogen, detection and separation of helium from, by liquefaction (DEWAR), P., **1897**, 190.

Nonoic acid, from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 21; P., **1897**, 218.

O.

Obituary notices:—

W. L. Hiepe, T., 1047.

James Wyllie Rodger, T., 1047.

***iso*-Octane**, action of fuming nitric acid on, and its nitro-compound (FRANCIS and YOUNG), T., 931; P., **1898**, 177.

Octane (*diisobutyl, dimethylhexane*), action of fuming nitric acid on, and its *tri*-nitro-derivative (FRANCIS and YOUNG), T., 932; P., **1898**, 177.

Octoic acid, from fusion of camphoric acid with potash; oxidation (CROSSLEY and PERKIN), T., 19; P., **1897**, 218.

Officers, Memorial to the Council with reference to the election of the: opinion of counsel thereon: action of the Council thereon: correspondence relating to, P., **1898**, 2, 4, 33, 61.

Oleic acid, oxidation of, with alkaline potassium permanganate, and with chromic acid; fusion with potash (EDMED), T., 628, 631, 632; P., **1898**, 133.

Orcinol, condensation of, with chloral hydrate (HEWITT and DIXON), T., 397; P., **1898**, 103.

Organic compounds, unsaturated, stereochemistry of (SUDBOROUGH and LLOYD), T., 81; P., **1897**, 240.

Osmotic pressure of solutions, influence of molecular association on the (CROMPTON), P., **1897**, 225.

Osyritrin, relation of, to myrticolorin and *Viola* quercitrin (SMITH), T., 701; P., **1898**, 167.

Oxalacetic acid, ethylic salt, action of ferric chloride on (MORRELL and CROFTS), T., 346.

Oxalic acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 555.

Oxalic acid, cerium, lanthanum, neodymium, praseodymium, thorium and yttrium salts, solubility of, in ammonium oxalate and in sulphuric acid (BRAUNER), T., 972; P., **1898**, 68.
thorium salt, action of nitric acid on (BRAUNER), T., 981; P., **1898**, 68.
thorium ammonium salt (BRAUNER), T., 951; P., **1898**, 67.
Oxalocitric acid, ethylic salt, lactone of, action of ferric chloride on (MORRELL and CROFTS), T., 348; P., **1898**, 65.
Oxycannabin and its reduction products (DUNSTAN and HENRY), P., **1898**, 44; (WOOD, SPIVEY and EASTERFELD), P., **1898**, 67, 184.
Ozone, formation of, from air (SHENSTONE and EVANS), T., 246; P., **1898**, 39.

P.

Palladium, absorption of hydrogen by at high temperatures (DEWAR), P., **1897**, 192.
Papaverine, constitution of (POPE and PEACHEY), T., 893; P., **1898**, 122.
Paraffins, and other hydrocarbons, action of fuming nitric acid on (FRANCIS and YOUNG), T., 928; P., **1898**, 177.
Pentane, normal, presence of, in American petroleum (YOUNG), T., 907; P., **1898**, 175.
iso-**Pentane**, presence of, in American petroleum (YOUNG), T., 907; P., **1898**, 175.
action of fuming nitric acid on, and its nitro-derivative (FRANCIS and YOUNG), T., 931; P., **1898**, 177.
cyclo-**Pentane** (*pentamethylene*), presence of, in American petroleum (YOUNG), T., 907; P., **1898**, 175.
Periodic system, position of praseodymium and neodymium in (BRAUNER), P., **1889**, 72.
Petroleum, American, composition of (YOUNG), T., 905; P., **1898**, 175.
comparison of the composition of American, Galician and Russian (YOUNG), T., 918; P., **1898**, 176.
Phenol, bromination and nitration of (MELDOLA and STREATFEILD), T., 681; P., **1898**, 165.
o-bromo- and *p*-bromo-, preparation of (MELDOLA and STREATFEILD), T., 683, 685.
Phenol, 2-bromo-4-nitro-, 2-bromo-6-nitro-, 4-bromo-2-nitro-, 2-bromo-4:6-*di*nitro-, and 4-bromo-2-nitro-6-amino- (MELDOLA and STREATFEILD), T., 681—686; P., **1898**, 165, 166.
o- and *p*-nitro-, condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 143; P., **1897**, 234.
Phenylazocarbamide, *m*-nitro- (YOUNG and STOCKWELL), T., 372; P., **1898**, 74.
α-**Phenylcinnamic acid**, etherification of (SUDBOROUGH and LLOYD), T., 92; P., **1897**, 240.
α-**Phenyl*allo*cinnamic acid**, etherification of (SUDBOROUGH and LLOYD), T., 92; P., **1897**, 241.
Phenylfenchylamine, and its acetyl derivative (GARDNER and COCKBURN), T., 277; P., **1898**, 9.
Phenylhydrazine, behaviour of, towards mercury acetamide (FORSTER), T., 790; P., **1898**, 169.
estimation of (FORSTER), T., 792.
Phenylhydrazine, *o*-bromo-, and its salts (HEWITT and POPE), T., 176; P., **1898**, 7.
β-**Phenylhydroxylamine**, behaviour of, towards mercury acetamide (FORSTER), T., 786; P., **1898**, 169.
Phenylmethylcarbamide, solubility of, in acetone, benzene, ether and water (WALKER and WOOD), T., 626; P., **1898**, 158.
Phenylnitrocarbinol, action of, on dimethylaniline (COHEN and CALVERT), T., 163.
α-**Phenyl**-*o*-, *m*- and *p*-**nitrocinnamic** and -*allo*-**cinnamic acids**, etherification of (SUDBOROUGH and LLOYD), T., 92; P., **1897**, 241.
β-**Phenylpropane**-*aaa*$_1$-**tricarboxylic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1014.
Phenylpropiolic acid, ethylic salt, condensation of, with piperidine (RUHEMANN and BROWNING), T., 723; P., **1898**, 167.
β-**Phenylpropylene**-*vaa*-**tricarboxylic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1015.
Phenylsemicarbazide, *m*-nitro-, and its benzoyl derivatives (YOUNG and STOCKWELL,) T., 372; P., **1898**, 74.
Phosphorus, solution of, in methylenic di-iodide (MADAN), P., **1898**, 101.
PHOTOCHEMISTRY:—
Röntgen rays, photographs of alloys taken by (HEYCOCK and NEVILLE), T., 714; P., **1897**, 105.

PHOTOCHEMISTRY:—
Rotatory power of allyloxypropionic acids (PURDIE and LANDER), T., 862; P., **1898**, 171.
of diethylic monobenzoyl- and mono-*m*-, *p*- and *o*-toluoyl-tartrates (FRANKLAND and MCCRAE), T., 307; P., **1898**, 74.
of chloracetylglycerates and tartrates (FRANKLAND and PATTERSON), T., 181; P., **1898**, 28.
of ethylic and methylic *di-mono*-chloracetyltartrates (FRANKLAND and TURNBULL), T., 203; P., **1898**, 29.
of gallotannic acid and its derivatives (ROSENHEIM and SCHIDROWITZ), T., 878; P., **1898**, 171.
of gallotannic acid, influence of concentration, solvent, and admixed substances (ROSENHEIM and SCHIDROWITZ), T., 886; P., **1898**, 172.
of podophyllic acid and podophyllotoxin (DUNSTAN and HENRY), T., 209; P., **1898**, 42.
of methylic and ethylic tartrates (RODGER and BRAME), T., 301; P., **1898**, 76.
Refraction of liquid fluorine (MOISSAN and DEWAR), P., **1897**, 183.
Spectra of praseodymium and neodymium (BRAUNER), P., **1898**, 70.
of benzene (HARTLEY and DOBBIE), T., 695; P., **1898**, 42.
ultraviolet, of diketohexamethylene, pyrroline, thiophen, furfurane and derivatives (HARTLEY and DOBBIE), T., 598; P., **1898**, 41.
Picric acid (2 : 4 : 6-*trinitrophenol*), condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 143; P., **1897**, 234.
Picropodophyllin, preparation, and properties, and constitution of (DUNSTAN and HENRY), T., 213; P., **1898**, 42.
action of nitric acid, and of zinc dust on (DUNSTAN and HENRY), T., 218; P., **1898**, 42.
bromo-, preparation of (DUNSTAN and HENRY), T., 217.
Pimelic acid (*isopropylsuccinic acid*), from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 22; P., **1897**, 218.
Piperidine (*hexahydropyridine*), condensation of, with catechol, gallic acid, guaiacol, *di*nitronaphthol, *o*- and *p*-nitrophenols, picric acid, pyrogallol, quinol, tannin, and vanillin (ROSENHEIM and SCHIDROWITZ), T., 140; P., **1897**, 234.
Piperidine (*hexahydropyridine*), condensation of, with ethylic aconitate, citraconate, fumarate, and phenylpropiolate (RUHEMANN and BROWNING), T., 723; P., **1898**, 167.
guaiacolate, physiological action of (TUNNICLIFFE), T., 145.
hydrochloride, action of potassium cyanate on (YOUNG and CLARK), T., 366.
Piperidylcarbamide, and action of acetic chloride on (YOUNG and CLARK), T., 366.
Piperidylcinnamic acid, ethylic salt of (RUHEMANN and BROWNING), T., 726; P., **1898**, 167.
Piperidylpyrotartaric acid, ethylic salt (RUHEMANN and BROWNING), T., 725; P., **1898**, 167.
Piperidylsuccinic acid, ethylic salt (RUHEMANN and BROWNING) T., 723; P., **1898**, 167.
Piperidyltricarballylic acid, ethylic salt (RUHEMANN and BROWNING), T., 725; P., **1898**, 167.
Pistacia lentiscus leaves, presence of myricetin and gallotannic acid in, and their tanning and dyeing properties (PERKIN and WOOD), T., 376, 377; P., **1898**, 104, 105.
Pistacia terebinthus, presence of myricetin in the galls of (PERKIN and WOOD), T., 385; P., **1898**, 105.
Platinum *mono*chloride (SONSTADT), P., **1898**, 25.
Podophyllic acid and its metallic salts (DUNSTAN and HENRY), T., 214; P., **1898**, 42.
Podophyllin, estimation of, in *Podophyllum emodi* and *P. peltatum* (DUNSTAN and HENRY), T., 224; P., **1898**, 42.
Podophyllo-resin and its acetyl and potash fusion derivatives (DUNSTAN and HENRY), T., 221; P., **1898**, 42.
Podophyllotoxin, and the action of nitric acid and of zinc dust on (DUNSTAN and HENRY), T., 212, 218; P., **1898**, 42.
Podophyllum emodi and *P. peltatum*, the constituents of (DUNSTAN and HENRY), T., 209; P., **1898**, 42.
Polyatomic radicles, theory of (KEKULÉ LECTURE), T., 124.
Potassium, double carbonates of, with bismuth, calcium, cobalt, copper, iron (ferrous), magnesium, manganese, nickel and silver (REYNOLDS), T., 263—265; P., **1898**, 54.
*per*chlorate, molecular weight of (CROFTS), T., 596; P., **1898**, 124.

Potassium manganic chloride (RICE), T., 260; P., **1898**, 53.
*per*iodate, molecular weight of, (CROFTS), T., 597; P., **1898**, 124.
*per*manganate, molecular weight of (CROFTS), T., 596; P., **1898**, 124.
platinochloride, decomposition of, in dilute solutions (SONSTADT), P., **1898**, 25.
Praseodymium, absorption spectrum of (BRAUNER), P., **1898**, 70.
atomic weight of (BRAUNER), P., **1898**, 70.
Praseodymium, salts and oxides of (BRAUNER), P., **1898**, 70.
Presidential address (DEWAR), T., 1039; P., **1898**, 89.
s-**Propanehexacarboxylic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1013.
s-**Propanepentacarboxylic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1012.
Propane-$\alpha\alpha\alpha_1\beta$-tetracarboxylic acid, ethylic salt, and the action of ammonia and of bromine on (RUHEMANN and CUNNINGTON), T., 1007.
*di*amidoimide of (RUHEMANN and CUNNINGTON), T., 1008.
Propionic acid, from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 14; P., **1897**, 217.
ethylic salt, velocity of hydrolysis of (SUDBOROUGH and FEILMANN), P., **1897**, 243.
α-chloro-, ethylic salt, action of sodium ethoxide on (PERKIN and HAWORTH), T., 337; P., **1898**, 45.
Propoxypropionic acid, from silver lactate and *iso*propylic iodide (PURDIE and LANDER), T., 299; P., **1898**, 76.
d-**Propoxypropionic acid** and its calcium, sodium, and silver salts, and their optical activity (PURDIE and LANDER), T., 873; P., **1898**, 171.
i-**Propoxypropionic acid**, and its propylic, calcium, barium, silver, strontium, and magnesium salts; also its resolution with morphine (PURDIE and LANDER), T., 871; P., **1898**, 171.
Propoxysuccinic acid, barium, calcium, potassium, and propylic salts and rotations of (PURDIE and LANDER), T., 289.
iso-**Propyl***iso*butylacrylic acid. See Decenoic acids.
α-*iso*-**Propyl-β-*iso*butylhydracrylic acid**, silver, calcium, copper, lead salts; identification with amydecylenic acid (BENTLEY and PERKIN), T., 66.
Propylene-$\alpha\alpha\beta\gamma$-tetracarboxylic acid, ethylic salt, from the action of heat on the bromo-derivative of ethylic propanetetracarboxylate (RUHEMANN and CUNNINGTON), T., 1008.
α-*iso*-**Propylpropane-$\alpha\alpha\alpha_1\beta$-tetracarboxylic acid**, ethylic salt (RUHEMANN and CUNNINGTON), T., 1010.
Puriri, colouring matters of wood of, and dyeing properties (PERKIN), T., 1019; P., **1898**, 183.
Pyridine, action of chlorine on (SELL and DOOTSON), T., 442; P., **1898**, 124.
Pyridine, *di*chloro-, *tri*chloro- (three isomeric forms), *tetra*chloro- (three forms), *penta*chloro- (SELL and DOOTSON), T., 437, 439, 441; P., **1898**, 110.
*di*chloro-, hydrochloride of, identity of, with *tri*chloropyridine (SELL and DOOTSON), T., 444; P., **1898**, 124.
*tri*chloro*di*amino-, and *tetra*chloro-4-amino- (SELL and DOOTSON), T., 781, 782; P., **1898**, 168.
Pyridine-2 : 3 : 4-tricarboxylic acid (*carbocinchomeronic acid*), 5-chloro-, and its ethylic salt (COLLIE and LEAN), T., 591; P., **1898**, 148.
Pyrocatechol. See Catechol.
Pyrogallol (1 : 2, 3-*trihydroxybenzene*), condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 142; P., **1897**, 234.
Pyromucic acid (*furfuran-α-carboxylic acid*), ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 600; P., **1898**, 41.
Pyrroline, ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 603; P., **1898**, 41.
Pyruvic acid, bromotolylhydrazone, and its salts (HEWITT and POPE), T., 179; P., **1898**, 7.

Q.

Quercetin, occurrence of, in "asbarg" (*Delphinium zalil*) (PERKIN and PILGRIM), T., 267; P., **1898**, 55.
occurrence of, in *Podophyllum emodi* (DUNSTAN and HENRY), T., 209; P., **1898**, 42.
occurrence of, in *Rhus rhodanthema* leaves (PERKIN), T., 1018; P., **1898**, 183.
relation of, to myrticolorin and osyritrin (SMITH), T., 701; P., **1898**, 167.
potassium and sodium salts of (PERKIN and WOOD), P., **1898**, 56.

Quercetin, probable presence of a new methyl ether of, in *Tamaris africana* and *T. gallica* (PERKIN and WOOD), T., 381 ; P., **1898**, 104, 105.
Quinol, behaviour of, towards mercury-acetamide (FORSTER), T., 796.
condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 141 ; P., **1897**, 234.

R.

Refraction. See Photochemistry.
Resins, $C_{12}H_{12}O_3$ and $C_{13}H_{14}O_3$, from "waras" (PERKIN), T., 663 ; P., **1898**, 162.
Rhamnazin, relation of, to rhamnetin and *iso*rhamnetin (PERKIN and PILGRIM), T., 272.
iso-**Rhamnetin**, preparation of, from *Delphinium zalil*, and oxidation products and dyeing properties of (PERKIN and PILGRIM), T., 269 ; P., **1898**, 55.
Rhamnose. See *iso*-Dulcitol.
Rhus coriaria (sumach), the adulteration and detection of (PERKIN and WOOD), T. 374 ; P., **1898**, 104.
Rhus cotinus and *R. rhodanthema* leaves, colouring matter of, and tanning properties of (PERKIN), T., 1018 ; P., **1898**, 183.
Röntgen rays. See Photochemistry.
Rotatory power. See Photochemistry.

S.

Saccharic acid, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.
action of hydrogen peroxide on, in the presence of ferrous iron (FENTON), P., **1898**, 120.
Salicylaldehydebromotolylhydrazone (HEWITT and POPE), T., 178 ; P., **1898**, 7.
Salicylic acid, solubility of, in water, benzene, acetone, and ether (WALKER and WOOD), T., 620 ; P., **1898**, 158.
Shinia leaves (*Pistacia lentiscus*), presence of myricetin and gallotannic acid in ; their tanning and dyeing properties (PERKIN and WOOD), T., 375, 377 ; P., **1898**, 104, 105.
Silver-alloys with aluminium, Röntgen ray photographs of (HEYCOCK and NEVILLE), T., 721 ; P., **1898**, 106.
Silver potassium carbonate (REYNOLDS), T., 265 ; P., **1898**, 54.
Sodium alloys with gold, Röntgen ray photographs of (HEYCOCK and NEVILLE), T., 716 ; P., **1897**, 105.
Sodium *bi*borate (*borax*), determination of the water of crystallisation in (ARMITAGE), P., **1898**, 22.
chlorate, compound crystals of (POPE), T., 949 ; P., **1898**, 178.
deposition of enantiomorphous forms of, from solutions of dextrose, &c. (KIPPING and POPE), T., 608 ; P., **1898**, 160.
*per*chlorate, molecular weight of (CROFTS), T., 596 ; P., **1898**, 124.
Sodium, detection and estimation of :—
detection of (FENTON), T., 167 ; P., **1898**, 21.
estimation of, volumetrically (FENTON), T., 167 ; P., **1898**, 21.
Solubility of isomerides, connection between melting point, solvent, temperature and (WALKER and WOOD), T., 618 ; P., **1898**, 158.
of isomeric substituted carbamides in acetone, benzene, ether, and water (WALKER and WOOD), T., 626 ; P., **1898**, 158.
of *m*- and *p*-hydroxybenzoic acids in water, ether, benzene, and acetone (WALKER and WOOD), T., 622 ; P., **1898**, 158.
of salicylic acid in water, benzene, acetone, and ether (WALKER and WOOD), T., 620 ; P., **1898**, 158.
Sorbitol, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557.
Sorbose, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.
Spectrum. See Photochemistry.
Starch, hydrolysis of, by acids (JOHNSON), T., 490 ; P., **1898**, 106.
action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557 ; P., **1898**, 147.
Stearic acid (*hexadecylacetic acid*), action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 555.
Stilbene-2 : 2′-disulphonic acid, 4 : 4′-*di*nitro-, and its salts (HERZ and BENTLEY), P., **1898**, 125.
Substance, $C_{10}H_{14}N_4O_4H_9$, from nitroso-β-phenylhydroxylamine and mercury acetamide (FORSTER), T., 788 ; P., **1898**, 169.
$C_{11}H_{11}NO$, a nitro-lactone from cannabinol, and its salts (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 67.

Substance, $C_{13}H_{15}N_2O_5$, from cannabinol and its salts (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 67.

$C_{16}H_{19}N_5O_2H_9$, from diazoaminobenzene and mercuryacetamide (FORSTER), T., 793; P., **1898**, 169.

$C_{17}H_{20}N_2O_6$, formed by action of nitric acid on cannabinol (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 67.

$C_{17}H_{20}N_2O_8$, from $C_{17}H_{20}N_2O_6$, from cannabinol (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 67.

$C_{21}H_{23}N_3O_8$, a derivative of cannabinol; its salts (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 104.

$C_{21}H_{26}O_{21}$, formed by hydrolysis of acetyl-cannabinol and its nitro-derivative (WOOD, SPIVEY, and EASTERFIELD), P., **1898**, 104.

Succinic acid, obtained from the wood of *Goupia tomentosa* (DUNSTAN and HENRY), T., 226; P., **1898**, 44.

potassium salt, compounds of, with the succinates of copper, nickel, zinc, lead, calcium, manganese and magnesium (REYNOLDS), T., 701; P., **1898**, 167.

Succinic acid, the half aldehyde of (*β-aldehydopropionic acid*), from acetalmalonic acid (PERKIN and SPRANKLING), P., **1898**, 112.

iso-**Succinic acid**, *αβ-di*bromo-, ethylic salt (PERKIN and HAWORTH), T., 342; P., **1898**, 45.

Sucrose (*saccharose*, *cane-sugar*), action of hydrogen bromide and hydrogen chloride on, in presence of ether (FENTON and GOSTLING), T., 556.

action of hydrogen peroxide on, in presence of ferrous sulphate (CROSS, BEVAN, and SMITH), T., 465, 471; P., **1899**, 116.

Sugar, synthetical, from glycollic anhydride, action of hydrogen bromide and hydrogen chloride on, in presence of ether (FENTON and GOSTLING), T., 557.

obtained by hydrolysis of myrticolorin and its osazone (SMITH), T., 700; P., **1898**, 167.

Sulphocamphylic acid, salts, chloride, bromide, and constitution of (PERKIN), T., 820; P., **1895**, 23; **1897**, 200; **1898**, 169.

Sulphur, volatility of (PORTER), P., **1898**, 65.

solution of, in methylenic di-iodide (MADAN), P., **1898**, 101.

Sumach, Sicilian (*Rhus coriaria*), the adulteration of, and detection of (PERKIN and WOOD), T., 374; P., **1898**, 104.

Venetian, presence of myricetin in, and tanning properties of (PERKIN), T., 1017; P., **1898**, 183.

Surface tension of liquid fluorine (MOISSAN and DEWAR), P., **1897**, 181.

T.

Tamaris africana ("bruca"), the colouring matter of, and presence of gallo- and ellagi-tannic acids in (PERKIN and WOOD), T., 380; P., **1898**, 105.

Tamaris gallica, the colouring principle of, percentage of tannin in the leaves of, and its nature (PERKIN and WOOD), T., 380; P., **1898**, 105.

Tannin, condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 144; P., **1897**, 234.

amount of, in leaves of *Rhus cotinus* and *R. rhodanthema* (PERKIN), T., 1017, 1018; P., **1898**, 183.

Tartaric acid, sodium ammonium salts, separation of the lævo- and dextro- (KIPPING and POPE), P., **1898**, 113.

methylic and ethylic salts, rotatory powers of (RODGER and BRAME), T., 301; P., **1898**, 76.

Tartronic acid, preparation of, from dihydroxytartaric acid (FENTON), T., 73; P., **1897**, 224.

conductivity of solutions of (SKINNER), T., 489; P., **1898**, 121.

Terpineol, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 558.

Tetrahydrobenzene. See *cyclo*-Hexene.

d-**Tetrahydropapaverine**, *d-α*-bromocamphorsulphonate (POPE and PEACHEY), T., 898; P., **1898**, 123.

l-**Tetrahydropapaverine**, *d-α*-bromocamphorsulphonate, *d-α*-chlorocamphorsulphonate (POPE and PEACHEY), T., 897; P., **1898**, 123.

Tetrahydropapaverine, racemic, non-resolution of, by tartaric acid (POPE and PEACHEY), T., 902.

resolution of, into optically active components (POPE and PEACHEY), T., 893; P., **1898**, 122.

Tetramethylenedicarboxylic acid. See *cyclo*-Butanedicarboxylic acid.

Tetrazobenzenehesperitin, and diacetyl derivative (PERKIN), T., 1032, 1037; P., **1895**, 185.

(*Toluene compounds Me* = 1).

para-**Tetrylenedicarboxylic acid**, identity of, with *cyclo*-butane-1 : 3-dicarboxylic acid (PERKIN and HAWORTH), T., 337; P., **1898**, 45.

Thermochemical data (heat of dissociation) of palladium-hydrogen at high temperatures (DEWAR), P., **1897**, 197.

Thiophen, ultra-violet absorption spectrum of (HARTLEY and DOBBIE), T., 604; P., **1898**, 41.

Thorium, atomic weight of (BRAUNER), T., 985; P., **1898**, 68.

Toluene, presence of, in American petroleum (YOUNG), T., 918; P., **1898**, 175.

Toluene, 3 : 5-*di*bromo-2-iodo-, and its dichloride (MCCRAE), T., 691; P., **1898**, 166.

3 : 5-*di*bromo-2-iodoso-, and its diacetate, and 3 : 5-*di*bromo-2-iodoxy- (MCCRAE), T., 692; P., **1898**, 166

p-chloro-, sulphonation of (WYNNE and BRUCE), T., 772; P., **1898**, 168.

2 : 5-iodonitro-, and its dichloride (MCCRAE), T., 693; P., **1898**, 166.

5-nitro-2-iodoso-, and its diacetate and dinitrate (MCCRAE), T., 694; P., **1898**, 166.

5-nitro-2-iodoxy- (MCCRAE), T., 694; P., **1898**, 166.

Toluene-2 : 4-disulphonic acid, and its 6-chloro-derivative; their salts, chlorides and anilides (WYNNE and BRUCE), T., 754, 756, 775, 776; P., **1898**, 168.

Toluene-2 : 5-disulphonic acid and its 4-chloro-derivative; their salts, chlorides and anilides (WYNNE and BRUCE), T., 743, 744, 757; P., **1898**, 168.

Toluene-2 : 6-disulphonic acid, and its 4-chloro-derivative; their salts, chlorides and anilides (WYNNE and BRUCE), T., 769, 771.

Toluene-3 : 4-disulphonic acid, and its 6-chloro-derivative; and their salts, chlorides and anilides (WYNNE and BRUCE), T., 746, 751; P., **1898**, 168.

Toluene-3 : 5-disulphonic acid, and its 2-bromo-, 2-chloro-, and 4-chloro-derivatives; their salts, chlorides and anilides (WYNNE and BRUCE), T., 739, 743, 748, 749, 750; P., **1898**, 168.

o-**Toluenesulphonic acid**, 4-*di*sulphide, potassium salt of (WYNNE and BRUCE), T., 754.

4-chloro-, and its salts, chloride, amide and anilide (WYNNE and BRUCE), T., 761, 762; P., **1898**, 168.

(*Toluene compounds Me* = 1).

m-**Toluenesulphonic acid**, 4-chloro-, and its salts, chloride, amide and anilide (WYNNE and BRUCE), T., 759, 760; P., **1898**, 168.

6-chloro-, potassium salt; anilide sulphonation of (WYNNE and BRUCE), 765, 776.

4-ethylthioether, its potassium salt and chloride (WYNNE and BRUCE), T., 752.

4-ethylsulphone, its salts, chloride and anilide (WYNNE and BRUCE), T., 753.

6-ethylsulphone, its potassium salt and chloride (WYNNE and BRUCE), T., 758.

6-*di*sulphide and 6-xanthate, potassium salts of (WYNNE and BRUCE), T., 757, 758.

p-**Toluenesulphonic acid**, 2-ethylsulphone, its potassium salt and chloride (WYNNE and BRUCE), T., 757.

2-*di*sulphide, and 2-ethylthio-, potassium salts of (WYNNE and BRUCE), T., 756, 757.

p-**Toluenesulphonic acid**, *o*-chloro-, and its salts, chloride, amide and anilide (WYNNE and BRUCE), T., 764, 765.

p-**Toluidine**, *o*-bromo-, preparation of, and its hydrochloride (HEWITT and POPE), T., 175.

o-**Toluidine-3 : 5-disulphonic acid**, preparation of (WYNNE and BRUCE), T., 747; P., **1898**, 168.

o-**Toluidine-4 : 5-disulphonic acid**, and its potassium and barium salts (WYNNE and BRUCE), T., 744; P., **1898**, 168.

p-**Toluidine-2 : 5-disulphonic acid**, preparation of (WYNNE and BRUCE), T., 743; P., **1898**, 168.

p-**Toluidine-3 : 5-disulphonic acid** (WYNNE and BRUCE), T., 738; P., **1898**, 168.

o-**Toluidine-4-sulphonic acid**, and its salts (WYNNE and BRUCE), T., 744.

o-, *m*- and *p*-**Toluoyltartaric acid**, ethylic salts, rotatory power of (FRANKLAND and MCCRAE), T., 313; P., **1898**, 74.

Tolylallylthiosemicarbazide, bromo- (HEWITT and POPE), T., 177; P., **1898**, 7.

p-**Tolylazocarbamide** (YOUNG and STOCKWELL), T., 369; **1898**, 73.

o- and *p*-**Tolylcarbamides**, solubility of, in acetone, benzene, ether and water (WALKER and WOOD), T., 626; P., **1898**, 158.

(*Tolyl compounds Me*=1).

1 : 2 : 4-Tolylene-dicarbamide and **-diphenylsemicarbazide** (SNAPE), P., **1898**, 75.

Tolyliodonium iodide, *di*nitro- (MCCRAE), T., 694; P., **1898**, 166.

Tolylphenylthiosemicarbazide, bromo- (HEWITT and POPE), T., 177; P., **1898**, 7.

***m*-Tolylsemicarbazide**, 6-bromo- (HEWITT and POPE), T., 177; P., **1898**, 7.

***p*-Tolylsemicarbazide** and its acetyl and benzoyl derivatives (YOUNG and STOCKWELL), T., 369; P., **1898**, 73.

Tricarballylic acid, cyano-, ethylic salt (RUHEMANN and CUNNINGTON), T., 1011.

Trimethylacetic acid. See Valeric acids.

$\alpha\beta\beta$-Trimethylglutaric acid, from oxidation of dihydrocamphoketone (CROSSLEY and PERKIN), T., 30; P., **1897**, 218.

Triphenylacrylic acid, etherification of (SUDBOROUGH and LLOYD), T., 92; P., **1897**, 241.

V.

Valency, doctrine of (KEKULÉ LECTURE), T., 113; P., **1897**, 236.

iso-**Valeric acid**, from fusion of camphoric acid with potash (CROSSLEY and PERKIN), T., 16; P., **1897**, 217.

obtained from the wood of *Goupia tomentosa* (DUNSTAN and HENRY), T., 226; P., **1898**, 44.

Valeric acid (*trimethylacetic acid*), ethylic salt, velocity of hydrolysis of (SUDBOROUGH and FEILMANN), P., **1897**, 243.

Vanillic acid, obtained by oxidation of *iso*rhamnetin (PERKIN and PILGRIM), T., 267.

Vanillin, condensation of, with piperidine (ROSENHEIM and SCHIDROWITZ), T., 142; P., **1897**, 234.

Vapour density of dry ammonium chloride (BAKER), T., 425; P., **1898**, 100.

Vapour pressure of normal heptane (YOUNG), T., 675; P., **1898**, 165.

Vitex littoralis wood, colouring matters and dyeing properties of (PERKIN), T., 1019; P., **1898**, 183.

Vitexin, and its acetyl and nitro-derivatives; constitution, decomposition products, and dyeing properties of (PERKIN), T., 1021; P., **1898**, 184.

Volume, molecular, of ethylic and methylic benzoyl- and toluoyl-tartrates (FRANKLAND and MCCRAE), T., 324; P., **1898**, 74.

Volume, specific, of mixtures of benzene and *n*-hexane (JACKSON and YOUNG), T., 922; P., **1898**, 176.

of *n*-heptane (YOUNG), T., 676; P., **1898**, 165.

W.

'**Waras**,' the constituents and dyeing properties of (PERKIN), T., 660; P., **1898**, 162.

Water vapour, influence of, on the reaction of air and cuprous iodide (LEAN and WHATMOUGH), T., 155; P., **1898**, 6.

influence of, on the formation of ozone from air (SHENSTONE and EVANS), T., 249; P., **1898**, 40.

Weights, molecular, simple boiling point method of determining (WALKER and LUMSDEN), T., 502; P., **1898**, 125.

X.

Xylose, action of hydrogen bromide on, in presence of ether (FENTON and GOSTLING), T., 557; P., **1898**, 147.

Z.

Zymohydrolysis, the reversibility of, and the equilibrium point between maltose and dextrose under the action of maltase (HILL), T., 634; P., **1898**, 156.

ERRATA.

Vol. LXIX. (Trans., 1896).

Index.

Page		
1704	col. i	insert "**Chattaway,** *Frederick D.*, the constitution of the so-called 'nitrogen iodide,' T., 1572; P., **1896,** 172."

Vol. LXXIII. (Trans., 1898).

Page	Line	
43	15*	*for* "0·1298" *read* "0·1292."
44	11	,, "0·0112" ,, "0·1112."
146	4*	,, "action" ,, "acid."
731	20*	,, "Assoc. R.S.M." *read* "Assoc. R.C.S."
777	22	,, "production" *read* "product."
1045	5*	,, "4,807 6 8" *read* "0 4 0."

* From bottom.